

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

*Font*

WELL SCHEDULE

Date 9-15-56, 19 1956 Field No. 126  
Record by Hitt Office No. 46  
Source of data Star Keep on A15

1. Location: State Miss County Lee A15  
Map

SE - SE 1/4 SE 1/4 sec. 24 T 7 N R 5 W

2. Owner: J. G. UNDERWOOD Address Courtown P3

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller \_\_\_\_\_ Address \_\_\_\_\_


3. Topography flat rolling

4. Elevation \_\_\_\_\_ ft. above \_\_\_\_\_ below

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 1956

6. Depth: Rept. 75 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 4 in., to \_\_\_\_\_ in., Type \_\_\_\_\_  
Depth \_\_\_\_\_ ft., Finish \_\_\_\_\_



8. Chief Aquifer \_\_\_\_\_ From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Others \_\_\_\_\_

9. Water level 40 ft. rept. \_\_\_\_\_ 19 \_\_\_\_\_ above \_\_\_\_\_ below \_\_\_\_\_  
meas. \_\_\_\_\_ which is \_\_\_\_\_ ft. above \_\_\_\_\_ below surface

10. Pump: Type clinder Capacity \_\_\_\_\_ G. M.

Power: Kind hand Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs.  
Adequacy, permanence \_\_\_\_\_

13. Quality "limy" Temp \_\_\_\_\_ °F.

Taste, odor, color \_\_\_\_\_ Sample Yes \_\_\_\_\_ No \_\_\_\_\_

Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

(October 1950)  
9-182

WELL SCHEDULE

Date \_\_\_\_\_ 19\_\_\_\_ Field No. \_\_\_\_\_  
 Record by \_\_\_\_\_ Office No. \_\_\_\_\_  
 Source of data \_\_\_\_\_

1. Location: State \_\_\_\_\_ County \_\_\_\_\_  
 Map \_\_\_\_\_  
 2. Owner: \_\_\_\_\_  
 Address \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Address \_\_\_\_\_



3. Topography \_\_\_\_\_  
 4. Elevation \_\_\_\_\_ ft. above \_\_\_\_\_ ft. below \_\_\_\_\_  
 5. Type: Dug drilled \_\_\_\_\_  
 6. Depth: Rept. \_\_\_\_\_ ft. \_\_\_\_\_  
 7. Casings: Diam. in. \_\_\_\_\_ in. \_\_\_\_\_ Type \_\_\_\_\_  
 8. Casing Depth: \_\_\_\_\_ ft. \_\_\_\_\_  
 9. Casing Adapter: \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Others: \_\_\_\_\_

10. Water level \_\_\_\_\_ ft. \_\_\_\_\_  
 \_\_\_\_\_ above \_\_\_\_\_ below  
 which is \_\_\_\_\_ ft. above \_\_\_\_\_ below surface  
 Capacity \_\_\_\_\_ G. M.  
 Power: Kind \_\_\_\_\_  
 11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Motor, Rept. Rat. \_\_\_\_\_ G. M.  
 Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.  
 12. Use: Dom. Stock, P.S., R.R., Ind., Ir., Ope. \_\_\_\_\_

13. Adequacy, permanence \_\_\_\_\_  
 Quality \_\_\_\_\_ Temp. \_\_\_\_\_ °F.  
 Taste, odor, color \_\_\_\_\_  
 Sample \_\_\_\_\_ Yes \_\_\_\_\_  
 Unit for \_\_\_\_\_

14. Remarks: (Log Analyses, etc.) \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

