

9-186 July, 1918

DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Not in use 1955

Well Schedule

Date 7-8-14 19

Field No. 2189

Record by J. C. Bonds

Office No. 111

1. Location: State Quinton Miss County Quinton
Quadrangle 250 yds N.W. of M & O R.R. Station
NE SW 1/4 sec 27 T 7 R 6

2. Owner town well Address Quinton

Driller _____ Address _____

3. Topography Near top of low hard ridge

4. Altitude 400.5 ft. above benchmark

5. Type: Dug, drilled, driven, bored drilled

6. Depth 400 ft. Date 1909

7. Diameter: top 4" bottom 3"

8. Chief Aquifer Quinton Lk

9. Casing: Type Steel Depth 60 ft. Diam 4" to _____
Finish _____

10. Water level 50 ft. below surface

11. Pump: Type Hand force Capacity _____ G. M.
Power: Kind Hand Horsepower _____

12. Yield: Flow 20 G. M. Pump Hand G. M. Meas. Rept. _____
Drawdown _____ ft.; pumping _____ G. M. time _____

13. Use: Dom., Stock, PS., RR., Ind., DW., Irr. Drinking water Quantity _____
Frequency, permanence _____

Quality: Good, fair, bad _____ Sample Yes No
Taste, odor, color taste of iron Temp. _____ °F

Unfit for _____
Sanitation _____

15. Cost: Well, \$ _____; Plant (well, pump, power, etc.), \$ _____
Operating, \$ _____ per _____ inc. exc.

Log, analysis, authority _____ on back page
Complete Anal by M. F. Hend, Lab No. 18783

