

GW1068 Baldwin

FORM 9-1642 (1-68)

J22 B76

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by M Smith Source of data _____ Date 8/70 Map _____

State _____ County 28 (or town) Proctors Lee 59

Latitude: 343035 N Longitude: 0883754 Sequential number: 1

Lat-long accuracy: 3 T. 6 S. R. 6 W. Sec. 35 SE/SE, SW, SE, NE/NE 52 T7S R6E

Local well number: J022D3506506E Other number: _____

Local use: 064 867 31 Owner or name: Town of Baldwin

Owner or name: BALDWIN Address: Well #1

Ownership: (C) County, Fed Gov't, (F) City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char. Z

Hyd. lab. data: _____

Qual. water data; type: yes USGS

Freq. sampling: _____ Pumpage inventory: period: _____

Aperture cards: _____

Log data: _____

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 426 ft Meas. rept accuracy 6

Depth cased: (first perf.) _____ ft Casing type: _____; Diam. 10 in

Finish: (C) concrete, (F) porous gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open perf., (J) screen, ad. pt., (K) shored, (L) open well, (M) other S

Method Drilled: (A) air bored, (B) cable, dug, rot., (C) hyd jetted, (D) percussion, (E) rotary, (F) reverse trenching, (G) driven, (H) wash, (I) other H

Date Drilled: 956 Pump intake setting: _____ ft

Driller: Layne C.

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (D) none, piston, rot, submerg, turb, other, (E) Deep Shallow

Power (type): nat, diesel, elec, gas, gasoline, hand, gas, wind, H.P., LP, Trans. or water no. V

Descrip. MP 405(11/89) ft above below LSD, Alt. MP

Alt. LSD: 395 Accuracy: (source) 4

Water Level: above below MP; Ft below LSD 102 Accuracy: D

Date meas: 973 Yield: 300 gpm Method determined 4

Drawdown: 86 ft Accuracy: _____ Pumping period: 3 hrs

QUALITY OF WATER DATA: Iron _____ Sulfate _____ Chloride _____ Hard. _____

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

See IN 1.1 1974

WLL 102 9-27-73 Houston

Well No. 522

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 0:3 Section: _____

D Drainage Basin: 13B Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp; (C) offshore, pediment, hillside, terrace, undulating, valley flat; (E) (F) (R) (K) (L) (P) (S) (T) (U) (V)

MAJOR AQUIFER: system _____ series K:3 aquifer, formation, group E:Z

Lithology: U:5 Origin: 6 Aquifer Thickness: _____ ft

Length of well open to: 150 ft Depth to top of: 380 ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: 250-320 (permit)

Depth to consolidated rock: _____ ft Source of data: _____



Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____


Coefficient Trans: 6.0:2 Coefficient Storage: _____

Coefficient Perm: 12.0 gpd/ft^2 ; Spec cap: 3.1 gpm/ft ; Number of geologic cards: _____

WL meas 82' (1967)



Well No. 522



1
 PERMIT #
 NGW 591000 2/73

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1973
 GUNTOWN 4.5 MI. 45
 TUPELO 17 MI.
 350000m.E. 88° 37' 30" 34° 30'

ROAD CLASSIFICATION

- Primary highway, hard surface _____
- Secondary highway, hard surface _____
- Light-duty road, hard or improved surface _____
- Unimproved road _____
- Interstate Route (Shield)
- U. S. Route (Shield)
- State Route (Circle)

(RATLIFF)
 3252 / NE

BALDWYN, MISS.

SW/4 BOONEVILLE 15' QUADRANGLE
 N3430-W8837.5/7.5

1973

AMS 3253 II SW-SERIES V843

14-C