

WRD Exp. (GW)  
April 1966

Well No. E 23

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

#### MASTER CARD

Record by THOMSON Source of data DRLG Date 2-10-67 Map \_\_\_\_\_

State \_\_\_\_\_ County (or town) LEE \_\_\_\_\_

Latitude: 34 deg 23 min 38 sec N Longitude: 08 degrees 41 min 35 sec W Sequential number: 1

Lat-long accuracy: 1 T. 8 N. R. 6 E. W. Sec 8 t. SE t. SW t.

Local well number: E0234C0808506E Other number: \_\_\_\_\_ B & H

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: FLANAGAN, T. E. Address: SALTILLO MISS

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dcm, Irr, Med, Ind, P S, Rec, (B) \_\_\_\_\_, (C) \_\_\_\_\_, (D) \_\_\_\_\_, (E) \_\_\_\_\_, (F) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Z) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.: N Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: DRLG LOG \_\_\_\_\_

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 474 ft Meas. DEL accuracy \_\_\_\_\_

Depth cased: (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd. rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_

Date Drilled: 1966 9 6 6 Pump intake setting: \_\_\_\_\_ ft

Driller: EWING GAS, TUPELO, MISS.

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) submerg, (S) turb., (T) other, (Z) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): nat, LP, diesel, elsc, gas, gasoline, hand, gas, wind; H.F. UNKNOWN Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 360 Accuracy: (source) TOPO 20' \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

TRANSMITTED FOR ADP

Well No. E 23



WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by THOMSON Source of data DRLG Date 2-10-67 Map \_\_\_\_\_

State 28 County (or town) LEE 41

Latitude: 39 23 38 N Longitude: 08 84 13 5 Sequential number: 1

Lat-long accuracy: 1 T. 8 N. R. 6 E. Sec. 8, SE SW

Local well number: F0234C0808506E Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: T E FLANAGAN Address: SATLICK MISS

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) \_\_\_\_\_, (C) \_\_\_\_\_, (D) \_\_\_\_\_, (E) \_\_\_\_\_, (F) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (S) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (V) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Y) \_\_\_\_\_, (Z) \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) \_\_\_\_\_, (G) \_\_\_\_\_, (H) \_\_\_\_\_, (I) \_\_\_\_\_, (M) \_\_\_\_\_, (N) \_\_\_\_\_, (P) \_\_\_\_\_, (R) \_\_\_\_\_, (T) \_\_\_\_\_, (U) \_\_\_\_\_, (W) \_\_\_\_\_, (X) \_\_\_\_\_, (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.: N Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: NO period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: DRLG LOG D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 474 Meas. DEL accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 208 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd. rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 1966 9 6 6 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: EWING GAS, TUPELO, MISS.

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): nat, LP, diesel, elec, gas, gasoline, hand, gas, wind; H.P. UNKNOWN Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 360 Accuracy: (source) TOPO 20' 5

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas.: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

TRANSMITTED FOR ADP

Well No.

E 23

