

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Field No. 6300 Date \_\_\_\_\_, 19\_\_\_\_  
Record by M. B. ... Office No. 6-16  
Source of data \_\_\_\_\_

1. Location: State \_\_\_\_\_ County Los Angeles

Map \_\_\_\_\_ 1/4 sec. 33 T 9 S 5 W

2. Owner: Shelby Skiff ... Address \_\_\_\_\_

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller Munden Address \_\_\_\_\_


3. Topography \_\_\_\_\_ ft. above \_\_\_\_\_ ft. below

4. Elevation \_\_\_\_\_ ft. above \_\_\_\_\_ ft. below

5. Type: Dug (drilled, driven, bored, jetted) \_\_\_\_\_ 7 19 60

6. Depth: Rept. 580 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 4 in., to 28 in., Type \_\_\_\_\_  
Depth 560 ft., Finish 2" X 20'

8. Chief Aquifer \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

9. Water level \_\_\_\_\_ ft. Meas. 130 (rept) \_\_\_\_\_ ft. Meas. 180 (above below surface)

10. Pump: Type \_\_\_\_\_ Capacity \_\_\_\_\_ G. M.  
Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est.  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom. Stock, PS, RR, Ind., Irr., Obs. \_\_\_\_\_  
Adequacy, permanence \_\_\_\_\_ Temp. \_\_\_\_\_ of F.

13. Quality \_\_\_\_\_ Taste, odor, color \_\_\_\_\_ Sample No. \_\_\_\_\_  
Unit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_

G 16  
7-1-60

WATER WELL DRILLERS LOG

6300

Herndon Well & Supply Co.

Date: July 1, 1960, Driller: SHANNON, MISS. County Lee


(Name)

	Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
1) Owner of Land: <u>Shelby Sheffield</u> (Name)	<u>Sand and clay</u>		<u>281</u>
<u>P.O. Box Tupelo Miss</u> (Address)	<u>Blue Rock</u>		<u>281</u>
2) Location: <u>28</u> <u>38 9 E</u> 1/4, 1/4, Sec. T. R. S.	<u>SAND</u>		<u>300</u>
<u>4</u> miles <u>West</u> of <u>Tupelo</u> (distance) (direction) (Nearest Town)	<u>to</u>		<u>580</u>
3) Topography: <u>Flat</u> (Hilly) (Flat) (Level)	<u>Bottom</u>		
4) Purpose of Well: <u>Home Use</u> (Domestic Irrigation Municipal, Industrial, Other)	<u>Red pipe 3/4 I.P.</u>		

Information upon completion of well:


- (1) Diameter 4 inches.
- (2) Total Depth 580 feet.
- (3) Water Level 130 feet below top of ground.
- (4) Cased to 560, Size 4" x 2".
- (5) Screen: Size 2", Length 20 ft.
- (6) Were any formations sealed against pollution?  
 yes,  no.

If YES depth of formation 281 ft.  
Why Surface of sand  
Drillers Remarks: Cased to 281 ft  
with 4" & from there  
to 560 with 2"  
97 ELEV 340




Well No.  
G 300

(Use Back Side)



~  
~  
~



**SHERMAN QUAD**

BISSELL 0.8 MI. PONTOTOC 14 MI. INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA 3380000E

- ROAD CLASSIFICATION**
- Primary highway, hard surface
  - Secondary highway, hard surface
  - Light-duty road, improved surface
  - Unimproved road
  - Interstate Route
  - U.S. Route