

WRD Exp. (GW)
April 1966

Well No. K 3 6

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by THOMSON Source of data Bow C Date 3/6/67 Map _____

State 20 County (or town) LEE 4.1

Latitude: 34¹³12^N Longitude: 08⁸47³⁶ Sequential number: 1

Lat-long accuracy: 1⁰ T. 10^N R. 5⁰ Sec 17 NW, NE, NE

Local well number: K036AA171R505E Other number: 179 B & M

Local use: _____ Owner or name: LARRY D SALMON Address: RT 3 TUPELO

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond., Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Inactit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field/aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data: DRILLERS D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 580 ft Meas. accuracy 3

Depth cased; (first perf.): _____ ft Casing type: 2.1 Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (screen), (H) horiz. open end, (I) open perf., (J) screen, (K) ad. pt., (L) shored, (M) open hole, (N) other X

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse percussion, (G) rotary, (H) driven, (I) wash, (J) other H

Date Drilled: 960 Pump intake setting: _____ ft

Driller: HERNDON SHANNON

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, (I) submerg, (J) turb, (K) other Deep Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. Trans. or meter no. _____

Descrip. MP _____ ft above _____ ft below LSD, Alt. MP _____

Alt. LSD: 350 Accuracy: (source) 4

Water Level: _____ ft above _____ ft below MP; _____ ft below LSD Accuracy: 0.266 D

Date meas: 9-30-60 960 Yield: _____ gpm Method determined _____

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ Sulfate _____ Chloride _____ Hard. _____

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

TRANSMITTED FOR ADP

Well No.

K 3 6

LEE

MISSISSIPPI BOARD OF WATER

K 36
9-3-60

WATER WELL DRILLERS LOG

~~K 35~~

Herndon Well & Supply Co.

Date: Sept 3, 1960, Driller: SHANNON, MISS. County Lee

SPL 1700 (Name)

(1) Owner of Land: <u>Larry D. Salma</u> (Name)	Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
<u>Rt 3 Tupelo, Miss</u> (Address)	<u>Sand & Clay</u>		<u>20</u>
(2) Location: <u>1/4, 1/4, Sec. 17-10-R-5</u>	<u>Blue Shale</u>		
<u>3</u> miles <u>South</u> of <u>Bissell</u> (distance) (direction) (Nearest Town)			
(3) Topography: <u>High top 5 feet below</u> (Hilly) (Flat) (Level)			
(4) Purpose of Well: <u>Home use</u> (Domestic Irrigation Municipal, Industrial, Other)	<u>Sand</u>	<u>475</u>	
	<u>Bottom</u>	<u>580</u>	

Information upon completion of well:



- (1) Diameter 4 inches.
- (2) Total Depth 580 feet.
- (3) Water Level 150 feet below top of ground.
- (4) Cased to 21 ft, Size 4 in.
- (5) Screen: Size , Length .
- (6) Were any formations sealed against pollution?
 yes, no.

If YES depth of formation 20 ft

Why Surface & Sand

Drillers Remarks:

179 ELEV 350



(Use Back Side)

Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.

