

WRD Exp. t.  
April 1966

Well No. L 26

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

TRANSMITTED FOR ADP.

MASTER CARD

Record by THOMSON Source of data BOWC Date 3/29/67 Map \_\_\_\_\_

State 28 County (or town) LEE 11

Latitude: 34 12 21 N Longitude: 08 83 82 8 Sequential number: 1

Lat-long accuracy: 10 T. 10 R. 6 W. Sec. 23 NE NE NW

Local well number: L026AB2310S06E Other number: 211

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: THOMAS PRENTICE Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Insttit, (N) Unused, (O) Reprressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.: 0 Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 390 Meas. 3

Depth cased: (first perf.) 37 Casing type: \_\_\_\_\_; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perfor.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other X

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) reverse, (H) percussison, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 962 Pump intake setting: \_\_\_\_\_ ft

Driller: JAMES FOWLER

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP 295 ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 340 Accuracy: (source) TOPO 1

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft below LSD 130 Accuracy: \_\_\_\_\_ D

Date meas: 3-17-62 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

L 26

Well No.   L 2 6  

Latitude-longitude \_\_\_\_\_ N  
 \_\_\_\_\_ S  
 d m s d m s

HYDROGEOLOGIC CARD

**1** SAME AS ON MASTER CARD **19** Physiographic Province: **20 21** 03 **Section:** \_\_\_\_\_

**22** D **23** Drainage Basin: **24 25** 13C **26** Subbasin: \_\_\_\_\_

**27** V **28 29** K3 **30 31** EUTAW **32 33** U5 **34** G **35 36** 155 **37 38** 235

**39 40** MAJOR AQUIFER: \_\_\_\_\_ **41 42** \_\_\_\_\_ **43 44** \_\_\_\_\_ **45 46** \_\_\_\_\_

**47 48** MINOR AQUIFER: \_\_\_\_\_ **49 50** \_\_\_\_\_ **51 52** \_\_\_\_\_ **53 54** \_\_\_\_\_

**55 56** Intervals Screened: \_\_\_\_\_ **57 58** \_\_\_\_\_ **59 60** \_\_\_\_\_



**61 62** Depth to consolidated rock: \_\_\_\_\_ ft **63 64** \_\_\_\_\_ **65 66** Source of data: \_\_\_\_\_

**67 68** Depth to basement: \_\_\_\_\_ ft **69 70** \_\_\_\_\_ **71 72** Source of data: \_\_\_\_\_

**73 74** Surficial material: \_\_\_\_\_ **75 76** \_\_\_\_\_ **77 78** Infiltration characteristics: \_\_\_\_\_

**79 80** Coefficient Trans: \_\_\_\_\_ gpd/ft **81 82** \_\_\_\_\_ **83 84** Coefficient Storage: \_\_\_\_\_

**85 86** Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ **87 88** \_\_\_\_\_ **89 90** gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.   L 2 6

LEE


1263/17, 1962, Driller: Jane Fowler County

(Name)

Lee

3-17-62


		Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land: <u>THOMAS PRENTICE</u> (Name)				
<u>Plantersville</u> (Address)		<u>Yellow clay</u>	<u>25'</u>	
		<u>blue clay</u>	<u>210'</u>	
		<u>sand</u>	<u>155'</u>	
(2) Location: <u>23</u> $\frac{1}{4}$ , <u>7th</u> $\frac{1}{4}$ , Sec. <u>6E</u> <u>23</u> (distance) (direction) (Nearest Town)				
(3) Topography: <u>HILLY</u> (Hilly) (Flat) (Level)				
(4) Purpose of Well: <u>DOMESTIC</u> (Domestic Irrigation Municipal, Industrial, Other)				
Information upon completion of well:				
(1) Diameter <u>4</u> inches.				
(2) Total Depth <u>390'</u> feet.				
(3) Water Level <u>130'</u> feet below top of ground.				
(4) Cased to <u>31'</u> , Size <u>4</u>				
(5) Screen: Size _____, Length _____				
(6) Were any formations sealed against pollution? <input checked="" type="checkbox"/> yes, _____ no.				
If YES depth of formation _____				
Why _____				
Drillers Remarks: _____				
<u>211 ELEV 300</u>				



Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.

# VERONA QUAD



1 660 00 FEET

12' 30"

2

RICHMOND 4.5 MI.