

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

~~Form 100-1 (Rev. 1-27-50)~~

OK

WELL SCHEDULE

Date SEPT. 1, 1956  
Record by SHO W S - WIT T  
Source of data GEORGE HINTON

1. Location: State MISS County HINDON Map LEB 8  
SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  sec. 8 T 11 N R 5 W

2. Owner: GEORGE HINDON Address SHANNON AVE 1  
Tenant Address HOSER HENDON  
Driller Address HILL TOP 355

3. Topography HILL TOP  
4. Elevation 200 ft. above TOP. 10' below  
5. Type: Dug (drilled) driven, bored, jetted, 1911  
6. Depth: Rept. 600 ft. Meas. ft.  
7. Casing: Diam. 4 in. to OPEN in., Type OPEN  
8. Chief Aquifer KE KM  
From ft. to ft.

11			
4.5			
10			

9. Water level 150 ft. rept. meas.  
19 56 above below surface

10. Pump: Type CYLINDER Capacity G.M.  
Power: Kind ELEC. Horsepower 1  
11. Yield: Flow G.M., Pump G.M., Meas., Rept. Est. ft. after hours pumping G.M.

12. Use: Dom., Stock, PS, RR., Ind., Irr., Obs.  
Drawdown ft. after hours pumping G.M.

13. Quality GOOD Temp. °F.  
Taste, odor, color SOFT Sample NO Yes  
Unit for 14. Remarks: (Log, Analyses, etc.)

UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY  
 WATER RESOURCES DIVISION

October 1950  
 9-122

WELL SCHEDULE

Date \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Other No. \_\_\_\_\_

Source of data \_\_\_\_\_

1. Location: \_\_\_\_\_

2. Owner: \_\_\_\_\_

3. Driller: \_\_\_\_\_

4. Type: \_\_\_\_\_

5. Depth: \_\_\_\_\_

6. Casings: \_\_\_\_\_

7. Depth: \_\_\_\_\_

8. Chief: \_\_\_\_\_

9. Water level: \_\_\_\_\_

10. Pump: \_\_\_\_\_

11. Yield: \_\_\_\_\_

12. Test: \_\_\_\_\_

13. Quantity: \_\_\_\_\_

14. Remarks: \_\_\_\_\_

15. \_\_\_\_\_

16. \_\_\_\_\_

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_

21. \_\_\_\_\_

22. \_\_\_\_\_

23. \_\_\_\_\_

24. \_\_\_\_\_

25. \_\_\_\_\_

26. \_\_\_\_\_

27. \_\_\_\_\_

28. \_\_\_\_\_

29. \_\_\_\_\_

30. \_\_\_\_\_

31. \_\_\_\_\_

32. \_\_\_\_\_

33. \_\_\_\_\_

34. \_\_\_\_\_

35. \_\_\_\_\_

36. \_\_\_\_\_

37. \_\_\_\_\_

38. \_\_\_\_\_

39. \_\_\_\_\_

40. \_\_\_\_\_

41. \_\_\_\_\_

42. \_\_\_\_\_

43. \_\_\_\_\_

44. \_\_\_\_\_

45. \_\_\_\_\_

46. \_\_\_\_\_

47. \_\_\_\_\_

48. \_\_\_\_\_

49. \_\_\_\_\_

50. \_\_\_\_\_

51. \_\_\_\_\_

52. \_\_\_\_\_

53. \_\_\_\_\_

54. \_\_\_\_\_

55. \_\_\_\_\_

56. \_\_\_\_\_

57. \_\_\_\_\_

58. \_\_\_\_\_

59. \_\_\_\_\_

60. \_\_\_\_\_

61. \_\_\_\_\_

62. \_\_\_\_\_

63. \_\_\_\_\_

64. \_\_\_\_\_

65. \_\_\_\_\_

66. \_\_\_\_\_

67. \_\_\_\_\_

68. \_\_\_\_\_

69. \_\_\_\_\_

70. \_\_\_\_\_

71. \_\_\_\_\_

72. \_\_\_\_\_

73. \_\_\_\_\_

74. \_\_\_\_\_

75. \_\_\_\_\_

76. \_\_\_\_\_

77. \_\_\_\_\_

78. \_\_\_\_\_

79. \_\_\_\_\_

80. \_\_\_\_\_

81. \_\_\_\_\_

82. \_\_\_\_\_

83. \_\_\_\_\_

84. \_\_\_\_\_

85. \_\_\_\_\_

86. \_\_\_\_\_

87. \_\_\_\_\_

88. \_\_\_\_\_

89. \_\_\_\_\_

90. \_\_\_\_\_

91. \_\_\_\_\_

92. \_\_\_\_\_

93. \_\_\_\_\_

94. \_\_\_\_\_

95. \_\_\_\_\_


96. \_\_\_\_\_

97. \_\_\_\_\_

98. \_\_\_\_\_


99. \_\_\_\_\_

100. \_\_\_\_\_



POWERED BY

SPRING



# BISSELL QUAD

4 E. R. 5 E. 332 (TROY SE) 3252 III SE 334 47'30" SHANNON 4.7 MI. 336000m. E.  
 SCALE 1:24 000  
 1 MILE  
 1 KILOMETER  
 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
 1 5 0 1 KILOMETER

CONTOUR INTERVAL 10 FEET  
 DOTTED LINES REPRESENT 5-FOOT CONTOURS