

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by T. J. ... Source of data ... Date 2/27/67 Map ...

State 23 County (or town)

Latitude: 34° 07' 40" N Longitude: 083° 47' 00" W Sequential number: 1

Lat-long accurac: 2' T. 11 S. R. ... Sec 16 SE NW

Local well number: N 0 2 5 P B 1 G 1 1 S 0 5 E Other number: ...

Local use: ... Owner or name: ...

Owner or name: ... Address: ...

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist ...

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other ...

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed ...

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: period:

Aperture cards:

Log data: DRILLERS

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 500 ft Meas. rept ... accuracy ...

Depth cased: ... ft Casing type: ... Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (perf.), (H) horiz. gallery, (P) open end, (S) perf., (T) screen, (W) sd. pt., (X) shored, (Z) open hole, other ...

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other ...

Date Drilled: 1965 9 6 5 Pump intake setting: ... ft

Driller: HERNDON address ...

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other ... Deep Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. Trans. or meter no. ...

Descrip. MP ... ft above below LSD. Alt. MP ...

Alt. LSD: 300 Accuracy: EST FROM 20' TOPG

Water Level: 110 ft above below MP; Ft below LSD Accuracy: ...

Date meas: 5 6 5 Yield: ... gpm Method determined ...

Drawdown: ... ft Accuracy: ... Pumping period ... hrs

QUALITY OF WATER DATA: Iron ... ppm Sulfate ... ppm Chloride ... ppm Hard. ... ppm

Sp. Conduct ... K x 10⁵ Temp. ... °F Date sampled ...

Taste, color, etc. ...

TRANSMITTED FOR ADP.

Well No.

N 25

LEE MISSISSIPPI BOARD OF WATER COMMISSIONERS

N 25

5-13-65

WATER WELL DRILLERS LOG

Date: May 13, 1965 Driller: Herndon-Homan Well & Supply, Inc.
 P. O. Box 42 County Franklin
SHANNON, MISSISSIPPI 38868

		Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land:	<u>B. B. Kyle</u> (Name)			
	<u>Tupelo, Miss.</u> (Address)	<u>sand & clay</u>		<u>0-28</u>
(2) Location:	<u>1/4, 1/4, Sec. 16 T 115 R 5E</u>	<u>blue clay</u>		<u>28-380</u>
	<u>4 miles W</u> of <u>Shannon</u> (distance) (direction) (Nearest Town)	<u>Sand</u>		<u>380-500</u>
(3) Topography:	<u>Hilly</u> (Hilly) (Flat) (Level)	<u>Bottom</u>		<u>500</u>
(4) Purpose of Well:	<u>Cabin</u> (Domestic Irrigation Municipal, Industrial, Other)			


Information upon completion of well:

- (1) Diameter 4 inches.
- (2) Total Depth 500 feet.
- (3) Water Level 112' feet below top of ground.
- (4) Cased to 30', Size 4"
- (5) Screen: Size , Length
- (6) Were any formations sealed against pollution?
 yes, no.

If YES depth of formation 28'
 Why surface sand

Drillers Remarks:

F. 56



Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.