SITE ID-340430088473001

FORM 9-1642
(1-68)

Well No. N 66
94D

MAY 23 1975

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by VS Source of data BOWC Date 4/70 Map

State 5 (1-2) County (or town) Lee (3-4) 41

Latitude: 340430 N (5-11) Longitude: 0884730 (12-18) Sequential number: 1 (19)

Lat-long accuracy: 3 (20) T 18 N R 5 E Sec 32, ¼, ¼, ¼ B & M

Local well number: W0666DD32111S05E (21-34) Other number:

Local use: 02 (35-51) Owner or name:

Owner or name: GUY WEEKS (52-66) Address: Rt 1, Shannon

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist 67 P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other 68 H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. 69 W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data; type: 74

Freq. sampling: 75 Pumpage inventory: yes no, period: 76

Aperture cards: yes 77

Log data: D (78-79)

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD (1-19) Depth well: ft 540 (20-23) Meas. rept accuracy 24 3

Depth cased (first perf.) ft 21 (25-28) Casing type: Steel; Diam. in 5 (29-30)

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 31 X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other 32 H

Date Drilled: 970 (33-35) Pump intake setting: ft (36-38)

Driller: name, address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (cent.), (M) multiple, (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other 39 Deep Shallow 40

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 1/2 41 S Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: (42-45) Accuracy (source): 47

Water Level 140 ft above below MP; ft above below LSD 140 (48-51) Accuracy: 52 D

Date meas: 53 370 55 Yield: gpm 5 (56-60) Method determined 61

Drawdown: ft 62-64 Accuracy: 65 Pumping period hrs 66-68

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. ppm 72

Sp. Conduct K x 10^6 73 Temp. °F 74-76 Date sampled 77-79

Taste, color, etc.

Well No. N 66

Well No. N 66

Latitude-longitude N S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

D (22) Drainage Basin: (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat: (27)

MAJOR AQUIFER: system, series (28–29) aquifer, formation, group (30–31)

Lithology: (32–33) Origin: (34) Aquifer Thickness: 140 ft

(35–37) Length of well open to: ft (38–40) Depth to top of: ft 400 (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

(51–53) Length of well open to: ft (54–56) Depth to top of: ft (57–59)

Intervals Screened:

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: (79)



Well No. N 66

GPO 937-142

GWSI UPDATES

Well No N66
County LEE

Item	Changed		Requested by		Updated by	
Number	From	To	Initial	Date	Initial	Date
C9	340430	340435	BRR	3/20/92	JRJ	4-23-92