

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

TRANSMITTED FOR ADP

MASTER CARD

Record by THOMSON Source of data Bow c Date \_\_\_\_\_ Map \_\_\_\_\_

State 28 County (or town) LEE 41

Latitude: 340810N Longitude: 0284059 Sequential number: 1

Lat-long accuracy: 11 Sec 9 NW SW SW 241

Local well number: 0041CC0911506E Other number: 241

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: JOHNNY DYE Address: RT 2 SHANNON

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instrt, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: DRLG

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 300 Meas. DRLG 3

Depth cased; (first perf.): \_\_\_\_\_ ft 21 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hole, other X

Method Drilled: air bored, cable, dug, hyd, jetted, air reverse, trenching, driven, drive rot., percussive, rotary, wash, other H

Date Drilled: 1962 9 6 2 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: HERNDON SHANNON

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other  Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 252 Accuracy: TOPO 4

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD 90 Accuracy: DRLG D

Date meas: 9-14-62 9 6 2 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

041

Well No. Ø 41

Latitude-longitude \_\_\_\_\_  
 d m s N S d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13C Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat (F) (R) (K) (L) (T) \_\_\_\_\_

**MAJOR AQUIFER:** system \_\_\_\_\_ series K3 aquifer, formation, group E2 EUTAW

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

**MINOR AQUIFER:** system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_



Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_


Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. Ø 41





MI. 42'30"  
4 U.S. 45) 27 MI.

R. 6 E.

344 (SHANNON)  
3252 II SW

345 346 347  
**VERONA QUAD**