

It is possible that this well is no longer in existence

JUN 10 1975

FORM 9-1642 (1-68)

Well No. D19

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by (SAL) Source of data 1. G.P.C. Date 11/1/71 Map \_\_\_\_\_

State TX County (or town) Brewster

Latitude: 33° 38' 30" N Longitude: 109° 02' 04" W Sequential number: 1

Lat-long accuracy: 30' T 21 S, R 01 (H) Sec 31, NW 1/4, SW 1/4

Local well number: D 019 B C 31 21 NW 01 W Other number: #19 WSP 576

Local use: \_\_\_\_\_ Owner or name: SCHLATER BROS Address: Schlater

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist (P)

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, (H) Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other (H)

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil gas, Recharge, Test, Unused, (W) Withdraw, Waste, Destroyed. (W)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: N.L. KINNON JAW - Aug 1911

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 560 ft Meas. rept accuracy 5

Depth cased: (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. 3 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other (S)

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (H) rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other (H)

Date Drilled: 9-1-70 Pump intake setting: \_\_\_\_\_ ft

Driller: ? name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent. jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep  Shallow

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 175 Accuracy: (source) topo

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

