FORM 9-1642 (1-68)

Well No. L61

PUNCHED and VERIFIED ROLLA COMPUTATION BRANCH

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

MASTER CARD

Record by B.E. Wasson Source of data SWPC Date 1960 Map

State 28 County (or town) 42

Latitude: 33 30 15 N Longitude: 090 10 15 Sequential number: 1

Lat-long accuracy: 2 T 19N R 1E Sec 10, SE ¼, SE ¼, ¼ B & M

Local well number: L061DD1019N01E Other number: D.W #12 E. Church

Local use: Owner or name:

Owner or name: GREENWOOD Address:

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — M

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — P

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed — W

DATA AVAILABLE: Well-data [ ] Freq. W/L meas.: [0] Field aquifer char. [ ]

Hyd. lab. data: [ ]

Qual. water data; type: [ ]

Freq. sampling: [ ] Pumpage inventory: yes no, period: [ ]

Aperture cards: yes [ ]

Log data: [ ]

1/29/88 City well pumping; could not turn well off to measure JM Carter

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 760 ft Meas. rept accuracy 6

Depth cased (first perf.): 680 ft Casing type: ; Diam. 16 in 16

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other — S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 954 Pump intake setting: ft

Driller: Carloss Well Supply (name) , (address)

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other — T Deep Shallow [ ]

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 75 — Y Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 130 Accuracy (source): 3

Water Level ft above below MP; Ft above below LSD [F] Accuracy: G

Date meas: 54 Yield: gpm 1000 Method determined [ ]

Drawdown: ft [ ] Accuracy: [ ] Pumping period hrs [ ]

QUALITY OF WATER DATA: Iron ppm [ ] Sulfate ppm [ ] Chloride ppm [ ] Hard. ppm [ ]

Sp. Conduct K x 10 [ ] Temp. °F [ ] Date sampled [ ]

Taste, color, etc.

Well No. L61

Well No. 661

Latitude-longitude N S d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

E (22) Drainage Basin: 15J (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat (27)

MAJOR AQUIFER: system, series TE (28–29) aquifer, formation, group MW (30–31)

Lithology: LS (32–33) Origin: 2 (34) Aquifer Thickness: ft

Length of well open to: (35–37) ft Depth to top of: 80 (38–40) ft (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

Length of well open to: (51–53) ft Depth to top of: (54–56) ft (57–59)

Intervals Screened:

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: (79)

10

Well No. 661

GPO 937-142