

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by: E.H. Roswell Source of data: M Bowl Date: 1-8-65 Map: \_\_\_\_\_

State: 28 County (or town): 42

Latitude: 33° 30' 51" N Longitude: 090° 11' 01" W Sequential number: 6

Lat-long accuracy: 3' T 19 S, R 1 W, Sec 15, NE 1/4, NW 1/4, \_\_\_\_\_

Local well number: L133 AB 1519 NO 1 E Other well number: \_\_\_\_\_ B & M

Local use: 064 Owner or name: \_\_\_\_\_

Owner or name: GREENWOOD Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist  M

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Recharge, Recharge, Desal-? S, Desal-other, Other  E

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (R) \_\_\_\_\_  W

DATA AVAILABLE: Well data  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Sal. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_  Pumpage inventory: yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 143 Meas. accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 103 Casing type: \_\_\_\_\_; Diam. 30x18 in 30

Finish: porous concrete, gravel w. screen, gravel w. gallery, open perf., screen, sd. pt., shored, open hole, other  G

Method: Drilled: air bored, cable, aug, rot, jetted, air reverse trenching, driven, drive wash, other  R

Date Drilled: 10/19/61 9:61 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Layne Central name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other  7 Deep  40 Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 42 Accuracy: \_\_\_\_\_

Date meas: 0.61 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct. \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No. L133

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 03 Section: \_\_\_\_\_  
Province: \_\_\_\_\_

E Drainage Basin: 15J Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
Topo of well site: (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series QG \_\_\_\_\_ aquifer, formation, group MA

**Lithology:** \_\_\_\_\_ UG Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ ft

107 Length of well open to: \_\_\_\_\_ ft 40 Depth to top of: \_\_\_\_\_ ft 38

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

**Intervals Screened:**


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

4133