

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by CF Source of data MBOUT Date 4-27-72 Map \_\_\_\_\_

State 28 County Lincoln (or town) 43

Latitude: 31 27 42 N Longitude: 09 02 29 37 Sequential number: 1

Lat-long accuracy: 2 6 7 0 Sec 27, SE 1/4, NW 1/4

Local well number: 4012662706N07E Other number: \_\_\_\_\_ B & M

Local use: 066 Owner or name: JAMES O. CROSBY Address: Bogue Chitto

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 70 50' Meas. rept 7.0 accuracy \_\_\_\_\_

Depth cased (first perf.): \_\_\_\_\_ ft 6.4 Casing type: PVC Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perfor., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jected, (F) air percussion, (G) reverse, (H) rotary, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_

Date Drilled: 2-24-72 9:7:2 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Grena Water Well Contractor

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. install Trans. or meter no. S

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ MP; \_\_\_\_\_ ft below \_\_\_\_\_ LSD 45 Accuracy: \_\_\_\_\_

Date meas: 2-7-72 Yield: ? gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

L12

Latitude-longitude \_\_\_\_\_  
N S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

7 Drainage Basin: 13U Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system series T.P. aquifer, formation, group C.I.

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 2.5 ft

25 Length of well open to: \_\_\_\_\_ ft. 6 Depth to top of: \_\_\_\_\_ ft. 4.5

MINOR AQUIFER: \_\_\_\_\_ system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

   Length of well open to: \_\_\_\_\_ ft.    Depth to top of: \_\_\_\_\_ ft.   

Intervals Screened: 4" PVC.

Depth to consolidated rock: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft.<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft.; Number of geologic cards: \_\_\_\_\_

*Estimated thickness*



Well No.

712