

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by CF Source of data MBWC Date 11-19-73 Map \_\_\_\_\_  
 State 28 County 43 (or town)  
 Latitude: 312458N Longitude: 0903329 Sequential number: 1  
 Lat-long accuracy: 30 S, R 6 W, Sec 9, SW, NE  
 Local well number: 034 CA 09 05 NO 6E Other number: \_\_\_\_\_  
 Local use: \_\_\_\_\_ Owner or name: Q. L. SMITH Address: Boque Chitto  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) 4  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (S) (T) (U) (V) (W) (X) (Z) W  
 DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: 0 period: \_\_\_\_\_  
 Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 80 Meas. rept accuracy 3  
 Depth cased: (first perf.) 74 Casing type: Plastic Diam. in 4  
 Finish: (C) concrete, (F) porous gravel w. (G) gravel w. (H) horz. open (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5  
 Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) rot., (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, (Z) other 4  
 Date Drilled: 8-15-73 473 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: J. T. Codington  
 Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other = - Deep 0 Shallow 40  
 Power (type): diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below LSD 60 Accuracy: \_\_\_\_\_  
 Date meas: 8-7-73 Yield: \_\_\_\_\_ gpm 18 Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

10/10/70

Well No. 034

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Physiographic Province: \_\_\_\_\_ Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_ 13U Subbasin: \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series T.P \_\_\_\_\_ aquifer, formation, group CT

Lithology: \_\_\_\_\_ UR Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 60

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ UR Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ UR Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_