

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data Bow C Date 12/69 Map \_\_\_\_\_

State: 28 County (or town) Lincoln 43

Latitude: 31 25 53 N Longitude: 09 03 23 3 Sequential number: 1

Lat-long accuracy: 3 T. S. R. W. Sec 6 k. k. k. B & H

Local well number: P016D30605N07E Other number: \_\_\_\_\_

Local use: 029 Owner or name: \_\_\_\_\_

Owner or name: W. E. BRENT Address: Rogue Chitto Ms

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) A

Use of well: (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: \_\_\_\_\_ ft Meas. rept accuracy 7.8 3

Depth cased; (first perf.): \_\_\_\_\_ ft Casing type: Plastic; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9.6.9 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent. jet, (J) multiple (cent.), (L) multiple (turb.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other =  Deep  Shallow 39 40

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 30 ft above \_\_\_\_\_ below MP; Ft below LSD 30 Accuracy: \_\_\_\_\_

Date meas: 0.6.9 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron ppm \_\_\_\_\_ Sulfate ppm \_\_\_\_\_ Chloride ppm \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct K x 10<sup>6</sup> \_\_\_\_\_ Temp. °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. P16

Well No. P 16

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Province: 03 Section: \_\_\_\_\_

D <sup>19</sup> Drainage Basin: 13U Subbasin: \_\_\_\_\_

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (P) (R) (K) (L) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP aquifer, formation, group CI

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: 18 ft

Length of well open to: \_\_\_\_\_ ft. \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft. 60

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft.

Length of well open to: \_\_\_\_\_ ft. \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft. \_\_\_\_\_

Intervals Screened: 4" Plastic


Depth to consolidated rock: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

P 16