

**PUNCHED**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

**MAR 6 1973**

Record by B.O. Source of data Bowc Date 1-72 Map \_\_\_\_\_

State 20 County (or town) Louisa 44

Latitude: 35<sup>5</sup> 37<sup>7</sup> 12<sup>9</sup> N<sup>11</sup> Longitude: 08<sup>12</sup> 82<sup>15</sup> 65<sup>18</sup> 2<sup>18</sup> Sequential number: 1

Lat-long accuracy: 1<sup>10</sup> T 17<sup>10</sup> N R 18<sup>10</sup> E Sec 5 SE NW NW

Local well number: 079<sup>21</sup> B.B.<sup>25</sup> 05<sup>25</sup> 17<sup>30</sup> 5<sup>30</sup> 18<sup>30</sup> W<sup>34</sup> Other number: \_\_\_\_\_ B & M

Local use: 071<sup>33</sup> Owner or name: JAMES GLENN<sup>32</sup> Address: Calum bus<sup>66</sup>

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, (B) Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (C) Stock, (D) Instit, (E) Unused, (F) Repressure, (G) Recharge, (H) Desal-P S, (I) Desal-other, (J) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  yes no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: 0

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 135 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased; (first perf.) \_\_\_\_\_ ft 25 Casing type: \_\_\_\_\_; Diam. in \_\_\_\_\_ 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_ X

Method Drilled: (A) air rot., (B) bored, (C) cab.e., (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) reverse percussion, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_ H

Date Drilled: 9-6-0 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Reeves

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 195 Accuracy: (source) \_\_\_\_\_ 5

Water Level: 15 ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD \_\_\_\_\_ 15 Accuracy: \_\_\_\_\_ D

Date meas: \_\_\_\_\_ 8-6-0 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

C 79

