

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Date March 22, 1956 Field No. OEC 4  
Record by EN Boswell Office No. 4  
Source of data Mr Mattot

1. Location: State Miss County Lauderdale  
Map County

SE 1/4 SE 1/4 sec. 10 T. 19 N. R. 18 W.

2. Owner: Oldbury Electro-Chem Address Columbus, Miss  
Tenant: HOOKER CHEM. CORP. Address \_\_\_\_\_

Driller: Hayne Central Co Address Memphis, Tenn

3. Topography Terrace

4. Elevation 180 ft. above msl (CE)

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 1953

6. Depth: Rept. 598 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 12 in., to 8 in., Type \_\_\_\_\_  
Depth \_\_\_\_\_ ft., Finish 50" x 8" shutter

8. Chief Aquifer Tuscaloosa From \_\_\_\_\_ ft. to 598 ft.

Others \_\_\_\_\_

9. Water level 33' 8" ft. 2-14 1956 above 1 sd  
meas. \_\_\_\_\_ below \_\_\_\_\_

dd = 26' 2" which is \_\_\_\_\_ ft. above surface

10. Pump: Type 10" RKOHC Capacity \_\_\_\_\_ G. M.

Power: Kind ELEC Horsepower 50

11. Yield: Flow \_\_\_\_\_ G. M., Pump 620 G. M., Meas. Rept. Est. \_\_\_\_\_  
Drawdown 26.2 ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR. Ind., Irr., Obs. Cooling + proc.

Adequacy, permanence \_\_\_\_\_

13. Quality clear Temp 66 °F.

Taste, odor, color \_\_\_\_\_ Sample Yes  
Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) 26" reamed x 50' 0"  
outside 8" shutter  
log like #1; analysis on back #3

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

237

WELL SCHEDULE

Date March 22, 1956 Field No. OEC #5  
Record by EN Boswell Office No. 4-5  
Source of data Mr Mattot

1. Location: State Miss County Lauderdale  
Map County

SE 1/4 SE 1/4 sec. 10 T. 19 N. R. 18 W.

2. Owner: Oldbury Electro-Chem Address Columbus Miss  
Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller: Hayne Central Co Address Memphis Tenn

3. Topography Terrace

4. Elevation 180 ft. above msl (CE)

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 1955

6. Depth: Rept. 600+ ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 12 in., to 8 in., Type \_\_\_\_\_  
Depth \_\_\_\_\_ ft., Finish 50" x 8" shutter

8. Chief Aquifer Tuscaloosa From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level \_\_\_\_\_ ft. \_\_\_\_\_ 19 \_\_\_\_\_ above  
meas. \_\_\_\_\_ below \_\_\_\_\_

\_\_\_\_\_ which is \_\_\_\_\_ ft. above surface

10. Pump: Type 4 stage turbine Capacity \_\_\_\_\_ G. M.

Power: Kind Elec. Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas. Rept. Est. \_\_\_\_\_  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR. Ind., Irr., Obs. Cooling + proc.

Adequacy, permanence \_\_\_\_\_

13. Quality Iron Temp 66 °F.

Taste, odor, color \_\_\_\_\_ Sample Yes  
Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) Plant does not yet have  
specific int on this well

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

October 1950

WELL SCHEDULE

Date \_\_\_\_\_  
Record by \_\_\_\_\_  
Office No. \_\_\_\_\_  
Source of data \_\_\_\_\_

1. Location State \_\_\_\_\_  
Map \_\_\_\_\_  
2. Owner \_\_\_\_\_  
Tonnage \_\_\_\_\_  
Driller \_\_\_\_\_


3. Topography \_\_\_\_\_  
4. Elevation \_\_\_\_\_  
5. Type: Dog ditch, dug, bored, artesian  
6. Depth: Rept. \_\_\_\_\_  
7. Capacity: Diam. \_\_\_\_\_  
Depth \_\_\_\_\_  
8. Chief Adapter \_\_\_\_\_  
Other \_\_\_\_\_

9. Water level \_\_\_\_\_  
10. Pump: Type \_\_\_\_\_  
Capacity \_\_\_\_\_  
Power: Kind \_\_\_\_\_  
11. Yield: Flow \_\_\_\_\_  
Drawdown \_\_\_\_\_  
12. Use: Dom. Stock P. R. L. Ind. Agr. Obj. \_\_\_\_\_  
Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_  
Taste, odor, color \_\_\_\_\_  
Unit for \_\_\_\_\_  
14. Remarks (Log, Analysis, etc.) \_\_\_\_\_

25/6/20  
52/100  
20/4

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

October 1950

WELL SCHEDULE

Date May 24 1900  
Record by \_\_\_\_\_  
Office No. \_\_\_\_\_  
Source of data \_\_\_\_\_

*requires 4 wells full time*


Location	1	2	3	4
Head pipe				
after 8 hrs	0* - 9.37	710	731	790
pump	20 - 6.56	703	652	703
30 - 6.08	656	620	656	
40 - 5.72	608	572	620	

ap @ 40\*


10. Pump: Type \_\_\_\_\_  
Capacity \_\_\_\_\_  
11. Yield: Flow \_\_\_\_\_  
Drawdown \_\_\_\_\_  
12. Use: Dom. Stock P. R. L. Ind. Agr. Obj. \_\_\_\_\_  
Adequacy, permanence \_\_\_\_\_  
13. Quality \_\_\_\_\_  
Taste, odor, color \_\_\_\_\_  
Unit for \_\_\_\_\_  
14. Remarks (Log, Analysis, etc.) \_\_\_\_\_

*Oldbury Electric Co*

*8 1/2 ft dia  
12' dia  
12' dia  
12' dia*



Stalin's Cem

Pinchaven Ch

Gravel Pits

SHEFFIELD ROAD

STORE ROAD

ROAD

NORTHERN FRISCO ROAD

Substa

Whitbury

Clayborne Ch

BM 179

1/2 MILE

SPUR LINE ROAD

FERRY

Creek

Greens

TENNESSEE

TOMBIGBEE

Mile + 325

BM 177

ETHIS