

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

Owner No. 3.

WELL SCHEDULE

Date December 28, 1955 Field No. \_\_\_\_\_  
Record by J.W.L. Office No. L-4  
Source of data Layne Central Co.

1. Location: State Miss. County Lauderdale

Map SE 1/4 SE 1/4 sec. 10 T 19 N R 18 E W

#3 2. Owner Oldham Electric Chemical Co. Address Columbus, Miss.  
Hooker Chem. Corp.

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller Layne Central Co. Address Memphis, Tenn.

3. Topography \_\_\_\_\_

4. Elevation \_\_\_\_\_ ft. above  
\_\_\_\_\_ ft. below

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 1954

6. Depth Rept 570 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 12 in., to \_\_\_\_\_ in., Type stl

\* Depth \_\_\_\_\_ ft., Finish 60' 3" screen

8. Chief Aquifer Tuscaloosa Sand From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level ll \_\_\_\_\_ ft. rept. 1954 above land surface  
\_\_\_\_\_ ft. meas. below surface  
which is \_\_\_\_\_ ft. above  
\_\_\_\_\_ ft. below surface

10. Pump: Type turbine Capacity 500-600 G. M.

Power: Kind Elec Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR. Ind., Irr., Obs. \_\_\_\_\_

Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_ Temp \_\_\_\_\_ °F.

Taste, odor, color \_\_\_\_\_ Sample Yes  
No

Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) Sodium chlorate mfg.

\* Gravel-Wall construction.


*[Faint, mostly illegible text and markings on the page]*

*This company has 4 or 5 supply  
uses of similar depth and construction  
according to your entry.*

THE BUREAU OF MINING  
GEOLOGICAL SURVEY  
WASHINGTON, D. C.

