

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCTION and VERIFIED  
ROLLA CORRELATION BRANCH

MASTER CARD

Record by H.B. Harris Source of data owner Date 10-23-61 Map \_\_\_\_\_

State Miss 28 County (or town) Marion 46

Latitude: 31° 02' 16" N Longitude: 089° 44' 22" W Sequential number: 7

Lat-long accuracy: 2' T. 1 S. R. 17 Sec 19, NE 1/4, NE 1/4, NE 1/4

Local well number: R001A A1901 N17W Other number: \_\_\_\_\_ B & M \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: EARNEST FORD Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, (T) Unused, (U) Repressure, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) \_\_\_\_\_ 11

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed \_\_\_\_\_ W1

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_ 72

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_ 76

Aperture cards: \_\_\_\_\_ yes  77

Log data: \_\_\_\_\_ 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 895 Meas. rept accuracy \_\_\_\_\_ 24 6

Depth cased: (first perf.) \_\_\_\_\_ ft 824 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_ 29 30

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) open gallery, (I) open end, (J) other \_\_\_\_\_ 31 S

Method: (A) air bored, (B) cable, (C) dug, (D) rot., (E) percussion, (F) jetted, (G) air rot., (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_ 32 H

Date Drilled: 951 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: Dean Griner, Columbia, Miss

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ 39 Deep \_\_\_\_\_ 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ 41 Trans. of meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level + \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD \_\_\_\_\_ 52 G

Date meas.: \_\_\_\_\_ 51 Yield: 100-200 gpm \_\_\_\_\_ 54 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. RI

