

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**

**DEC 8 1972**

MASTER CARD

Record by JCM Source of data BOWC Date 8-72 Map \_\_\_\_\_

State 28 County Marshall 47

Latitude: 345540N Longitude: 0893422 Sequential number: 1

Local well number: E053CA1202S04W Other number: \_\_\_\_\_

Local use: 162 Owner or name: \_\_\_\_\_

Owner or name: W.P. LOFTIS Address: Red Banks

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) (D) (C) (H) (P) (R) (T) (U) (W) (X) (Z) W

DATA AVAILABLE: Well data 0 Freq. W/L meas: 0 Field aquifer char. 0

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 240 Meas. 3

Depth cased: 200 Casing type: Rlc Diam. 6

Finish: (C) (F) (G) (H) (P) (S) (T) (W) (X) (Z) G

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_

Driller: R.L. Carpenter

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z) S Deep 0 Shallow 0

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 15 U Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD 105 Accuracy: \_\_\_\_\_

Date meas: 672 Yield: \_\_\_\_\_ gpm 290 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

E53

Latitude-longitude

N  
S

HYDROGEOLOGIC CARD

STATE OF CALIFORNIA

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

STEP 8 330

D

Drainage Basin: \_\_\_\_\_

15E

Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR

AQUIFER:

TE

MW

Lithology: \_\_\_\_\_

4S

Origin: \_\_\_\_\_

2

Aquifer

Thickness: \_\_\_\_\_

55 ft

Length of well open to: \_\_\_\_\_ ft

40

Depth to top of: \_\_\_\_\_ ft

185

MINOR

AQUIFER:

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals

Screened: \_\_\_\_\_

6" Plc & Gravel

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient

Trans: \_\_\_\_\_

\_\_\_\_\_

Coefficient


Storage: \_\_\_\_\_

Coefficient

Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

ES3