

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

JUL 11 1973

MASTER CARD

Record by JCM Source of data BOWC Date 1-73 Map \_\_\_\_\_

State 28 County (or town) Marshall 47

Latitude: 34 50 50 N Longitude: 0 8 9 4 2 5 0 Sequential number: 1

Lat-long accuracy: 5 T 3 N R 50 E Sec 3 \_\_\_\_\_

Local well number: H051 030350SW Other number: \_\_\_\_\_ B & M

Local use: 217 \_\_\_\_\_ Owner or name: TOM HASTY Address: Byhalia

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd.-lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes \_\_\_\_\_ no \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 80 Meas. rept: \_\_\_\_\_ accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 75 Casing type: PVC ; Diam. \_\_\_\_\_ in \_\_\_\_\_ 4

Finish: (A) porous concrete, (B) gravel w. (perf.), (C) gravel w. (screen), (D) horz. gallery, (E) open end, (F) horz. open perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air percuss, (G) reverse, (H) rotary, (I) trenching, (J) driven, (K) wash, (L) other \_\_\_\_\_ H

Date Drilled: 9.7.2 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 38

Driller: Atkinson & Frost name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ S Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 40

Power (type): (A) diesel, (B) gas, (C) gasoline, (D) hand, (E) gas, (F) wind; (G) H.P. \_\_\_\_\_ 1/2 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD \_\_\_\_\_ 40 Accuracy: \_\_\_\_\_ D

Date meas: D.7.2 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 12 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 79

Taste, color, etc. \_\_\_\_\_

Well No. H51

Well No. \_\_\_\_\_

**PUNCHED**

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D Subbasin: 15E

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group S.S

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 40 ft

Length of well open to: \_\_\_\_\_ ft 5 Depth to top of: \_\_\_\_\_ ft 4.0

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 4" PVC


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. H51