

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data POWC Date 11/29 Map \_\_\_\_\_

State 28 County (or town) Marshall 47

Latitude: 34 46 10 N Longitude: 08 9 43 06 Sequential number: 1

Lat-long accuracy: 5 T. N. E. S. R. W. Sec. 3

Local well number: M009 0303505W Other well number: \_\_\_\_\_

Local use: 217 Owner or name: JOHN KENNEDY Address: Holly Springs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (R) (T) (U) (V) (W) (X) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 135 ft Meas. rept. accuracy 3

Depth cased: (first perf.) 125 ft Casing type: PVC Diam. in 4

Finish: (C) porous concrete, (P) gravel v. (S) screen, (T) horz. gallery, (U) open end, (V) perf., (W) screen, (X) sd. pt., (Y) shored, (Z) open hole, other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name (L) (M) address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 90 ft above below MP; Ft. above below LSD 90 Accuracy: \_\_\_\_\_

Date meas: 069 Yield: \_\_\_\_\_ gpm 40 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PACKAGED

Well No. 19

Well No. M 9

Latitude-longitude N S d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 0.3 Section: 20 21

D Drainage Basin: 15E Subbasin: 24

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (φ) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: system series 28 29 aquifer, formation, group 30 31

Lithology: 32 33 Origin: 34 Aquifer Thickness: 9.5 ft

Length of well open to: 35 37 ft 38 40 Depth to top of: 41 43 ft 4.0

MINOR AQUIFER: system series 44 45 aquifer, formation, group 46 47

Lithology: 48 49 Origin: 50 Aquifer Thickness: 51 ft

Length of well open to: 51 53 ft 54 56 Depth to top of: 57 59 ft

Intervals Screened: 6 x 4 PVC & Sand


Depth to consolidated rock: 60 63 ft Source of data: 64

Depth to basement: 65 68 ft Source of data: 69

Surficial material: 70 71 Infiltration characteristics: 72

Coefficient Trans: 73 75 gpd/ft 76 78 Coefficient Storage: 79

Coefficient Perm: 80 82 gpd/ft<sup>2</sup>; Spec cap: 83 85 gpm/ft; Number of geologic cards: 86 88



Well No. M 9