

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by H Source of data Bowc Date 8-1-74 Map

State 28 County (or town) Marshall 47

Latitude: 344 20N Longitude: 089 2159 Sequential number:

Lat-Long accuracy: 3 4 2 Sec 36, SW NE SW

Local well number: P065AC3604502W Other number: B & M

Local use: 162 Owner or name: Lake Estates Sub

Owner or name: S-O-SPORES Address: Holly Springs

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory:

Aperture cards:

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 113 Meas. rept 3

Depth cased: 83 Casing type: PI Diam. 4

Finish: (C) porous concrete, (F) gravel, (G) gravel w. (H) horiz. open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percussion, (P) reverse rot., (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 974 Pump intake setting: ft

Driller: R J Carpenter name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other S Deep Shallow 40

Power (type): nat, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 LP T Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 500 Accuracy:

Water Level: 83 ft above below MP; Ft below LSD 83 Accuracy:

Date meas: 874 Yield: 25 gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10⁶ Temp. °F Date sampled

Taste, color, etc.

