

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

MAR 11 1973

Record by PASSONS Source of data OWNER Date 7-24-57 Map \_\_\_\_\_

State 28 County (or town) MONROE 48

Latitude: 34° 01' 33" N Longitude: 088° 38' 00" W Sequential number: 1

Lat-long accuracy: 30 T. 12 S. R. 6 W. Sec. 23 SE NE

Local well number: A011DA2312506E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: JOHN L LOCKETT Address: NEEDLETON

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (H) (I) (M) (N) (P) (R)  
 Stock, Inatit, Unused, Repressure, Desal-P S, Desal-other, Other \_\_\_\_\_

Use of well: (W) (X) (Z)  
 Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 350 Meas. rept \_\_\_\_\_

Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in

Finish: porous concrete, gravel w. (perfl.), gravel w. (screen), horiz. gallery, end, open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method Drilled: (H) (J) (P) (R) (T) (V) (W) (Z)  
 air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive rot., percussion, rotary, wash, other \_\_\_\_\_

Date Drilled: July 1956 956 Pump intake setting: \_\_\_\_\_ ft

Driller: Herndon Shannon

Lift (type): (J) (M) (N) (P) (R) (S) (T) (Z) Deep  Shallow

Power (type): (elec) (gas) (hand) (gas) (wind) (H.P.) (S) Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. NONE

Well No.

A11

Well No. \_\_\_\_\_

**REPRODUCED**

PHYSIOGRAPHIC CARD

Latitude-longitude \_\_\_\_\_

N

S

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

Subbasin: \_\_\_\_\_

REPRODUCED

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_

system

Eutaws

series

K3

Rolling-Hilly

U

Lithology: \_\_\_\_\_

UW

Origin: \_\_\_\_\_

0

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_

ft

Depth to top of: \_\_\_\_\_

ft

MINOR AQUIFER: \_\_\_\_\_

system

series

aquifer, formation, group

Aquifer Thickness: \_\_\_\_\_

ft

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_

ft

Depth to top of: \_\_\_\_\_

ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft


Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_

MAP ON ORIGINAL



Well No. \_\_\_\_\_

ALL