

FORM 9-1642 (1-68)

Well No. A16

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

PUNCHED
WATER RESOURCES DIVISION
DEC 7 1972

MASTER CARD

Record by Passon Source of data driller Date 7/24/57 Map Shannon

State 28 County (or town) 48

Latitude: 340014 N S Longitude: 0884052 Sequential number: 1

Lat-long accuracy: 3 deg 12 min 6 sec W, Sec 28 NW 1 SW 1

Local well number: A016CCE2812506E Other number: B & M

Local use: 02 Owner or name: SAM BAKER Address: Okawa, Et. 1

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist 67

Use of water: (A) Air-cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P, S, Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other 68

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed 69

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data, type: P

Freq. sampling: Pumpage inventory: yes: no: period:

Aperture cards: yes:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 360 ft Meas. rept accuracy 6

Depth cased: 42 ft Casing type: 4; Diam. in 4

Finish: (A) porous concrete, (B) gravel w. (perf.), (C) gravel w. (screen), (D) horiz. gallery, (E) open end, (F) perf., (G) screen, (H) sd. pt., (I) shored, (J) open hole, (K) other 31

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot, (F) jetted, (G) air percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) wash, (M) other 32

Date Drilled: 949 Pump intake setting: 9 ft 36

Driller: Hernandez

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 39 Deep 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 41 Trans. or meter no. 42

Descrip. MP 43 above 44 below LSD, Alt. MP 45

Alt. LSD: 320 Accuracy: 5

Water Level: 120 ft above MP; 120 ft below LSD Accuracy: A

Date meas: 7/25/57 757 Yield: 757 gpm Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period: 64 hrs 65

QUALITY OF WATER DATA: Iron 66 Sulfate 67 Chloride 68 Hard. 69

Sp. Conduct 290 K x 10 3 Temp. 564 Date sampled 77

Taste, color, etc. 79

Well No.

Well No. _____

Latitude-longitude _____

N
S

HYDROLOGIC CARD

PHYSIOGRAPHIC PROVINCE

SAVE AS ON MASTER CARD

Physiographic Province: _____

03

Section: _____

Drainage Basin: _____

13L

Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, (E) flat, (F) hilltop, sink, swamp, (G) offshore, pediment, hillside, terrace, undulating, valley flat.

MAJOR AQUIFER:

system _____

series _____

K3

aquifer, formation, group _____

EU

Lithology: _____

Origin: _____

6

Aquifer Thickness: _____

Length of well open to: _____ ft

Depth to top of: _____ ft

MINOR AQUIFER:

system _____

series _____

aquifer, formation, group _____

Lithology: _____

Origin: _____

Aquifer Thickness: _____

Length of well open to: _____ ft

Depth to top of: _____ ft

Intervals Screened: _____

Depth to consolidated rock: _____ ft

Source of data: _____

Depth to basement: _____ ft

Source of data: _____

Surficial material: _____

Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft


Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft

Spec cap: _____ gpm/ft


Number of geologic cards: _____

Map of Original



Shannon Quad

SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS.
DATUM IS MEAN SEA LEVEL