

Egypt

FORM 9-1642 (1-68)

Well No. A 20

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by Parsons Source of data Owner Date 1-24-57 Map \_\_\_\_\_

State 28 County 48 (or town) \_\_\_\_\_

Latitude: 33 59 35 N Longitude: 08 8 41 05 Sequential number: 1

Lat-long accuracy: 3 12 9 6 9 Sec 32 NENE SE

Local well number: A 0 2 0 A D 3 2 1 2 5 0 6 E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner of name: \_\_\_\_\_

Owner or name: G H U S T I S K Address: \_\_\_\_\_

Ownership: County, Fed Gov't, (M) (N) or (P) (S) (W) P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instat, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, W

DATA AVAILABLE: Well data 0 Freq. W/L meas. 0 Field aquifer char. 0

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes 0 no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes 0

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 400 ft Meas. rept accuracy 6

Depth cased (first perf.): \_\_\_\_\_ ft Casing type: \_\_\_\_\_ Diam. in 4

Finish: porous concrete, gravel w. horiz. gallery, end, (C) (F) (G) (H) (Ø) (P) (S) (T) (W) (X) (Z) X

Method drilled: air bored, cable, dug, hyd jetted, air reverse, driven, wash, (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H

Date drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name (L) (M) address \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, none, piston, rot, submerg, turb, other U Deep 0 Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 3/4 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 300 Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above below MP; Ft below LSD 120 Accuracy: \_\_\_\_\_

Date mean: 7 5 7 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

A 20

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S

**HYDROGEOLOGIC CARD**

Physiographic Province: INDIANA NEW Section: 03

Drainage Basin: D Subbasin: 1132

Top of well site: (P) (D) (C) (E) (H) (K) (L)  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: Eutaw K3 PRAIRIE EZ

Lithology: US Origin: Q Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

MAP on Original



# NE MISS MOSE

R 15 E. R 6 E.

342 42'30"

343

3252 11 SW  
(SHANNON)

345

## Egypt Quad

