

Wren

256-8511

FORM 9-1642 (1-68)

Well No. **A46**

WELL SCHEDULE **PUNCHED**
U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J. A. Callahan Source of data Power Date 10/12/71 Map **MAR 11 1973**

State 28 County (or town) Monroe 48

Latitude: 33 55 48 N Longitude: 08 23 31 Sequential number: 1

Lat-long accuracy: 3 12 6 E 36 SE SE NW

Local well number: A046DB3612506E Other number:

Local use: Owner or name: DRYDEN MFG CO Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water:

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 300 Meas. rept accuracy

Depth cased; (first perf.) open ft. 25 Casing type: ; Diam. in 6

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, open hole, other X

Method Drilled: air rot., bored, cable, dug, hyd jetted, air rot., percussion, rotary, reverse trenching, driven, drive wash, other H

Date Drilled: 9.6.71 Pump intake setting: ft

Driller: Heindou-Roman name address

Lift (type): air, bucket, cent, jet, multiple, (cent.), multiple, (turb.), none, piston, rot, submerg, turb, other S Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 3/4 Trans. or meter no. S

Descrip. MP above below LSD, Alt. MP

Alt. LSD: 330 Accuracy: CI 10

Water Level: ft above below MP; Ft below LSD 115 Accuracy:

Date mea: 6.6.72 Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard.


Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc.

Well No.

A46

A 46



Well No.

GP O 937-142

HYDROGEOLOGIC CARD	
19 CARD	Province:
18	Physiographic
17	Basins:
22	Substn:
20 21	Section: 03
23	137
23	23
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80

Latitude-Longitude

Well No.

MONROE

MISSISSIPPI BOARD OF WATER COMMISSIONERS

A 46

Coded. 10/

6-30-62

WATER WELL DRILLERS LOG

CODED

HERNDON WELL & SUPPLY CO.

Date June 30, 1962, Driller: HERNDON P. O. BOX 42 County Monroe
(Name) MISSISSIPPI

(1) Owner of Land:	Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
<u>Digdee NG Co</u> <small>(Name)</small> <u>Amory, Miss.</u> <small>(Address)</small>	<u>Surface sand</u> <u>& clay</u>	0	0
(2) Location: <u>SW SW 1/4, SE 1/4, Sec 36 T 12S R 6E</u> <u>6</u> miles <u>South</u> of <u>Nettle</u> <small>(distance) (direction) (Nearest Town)</small>	<u>Blue rock</u> <u>Sand</u>	25	180
(3) Topography: <u>Flat</u> <small>(HiBy) (Flat) (Level)</small>	<u>Bottom</u>	300	300
(4) Purpose of Well: <u>Industrial</u> <small>(Domestic Irrigation Municipal, Industrial, Other)</small>			

Information upon completion of well:

- (1) Diameter 6" inches.
- (2) Total Depth 300' feet.
- (3) Water Level 115' feet below top of ground.
- (4) Cased to 27', Size 6".
- (5) Screen: Size —, Length —.
- (6) Were any formations sealed against pollution?
 yes, no.

If YES depth of formation 25'
Why Surface & Sand
Drillers Remarks: 330 CI 10'

Truck beds

3/4" sub

Open hole

RECORDED

APR - 5 1963

MISS. BOARD OF WATER COMM.

(Use Back Side)

Well No.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NE

B



NW

88° 37' 30"
4° 00'
63000m N.
TUPELO 21 MI.
0.2 MI. TO U.S. 278
T. 12 S.
T. 13 S.
3761
3760
3759
7' 30"
3758
12
13

351
R. 6 E. R. 7 E. 352000m E. 353 35' 354