

Nettleton

FORM 9-1642 (1-68)

Well No. B 21

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data Bowc Date 4/69 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 33<sup>deg</sup> 59<sup>min</sup> 20<sup>sec</sup> N Longitude: 088<sup>degrees</sup> 35<sup>min</sup> 48<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 11<sup>70</sup> 7<sup>75</sup> 32<sup>80</sup> NE<sup>85</sup> SW<sup>90</sup>

Local well number: B021<sup>25</sup> CC3211<sup>30</sup> S07E<sup>35</sup> Other number: B & M

Local use: 021<sup>35</sup> 40 45 51 Owner or name: PLAIN JONES

Owner or name: PLAIN JONES Address: Rt 2, Amory

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Insitit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 0

Freq. sampling: 0 Pumpage inventory: 0 yes 0 no, period: 0

Aperture cards: 0 yes 0

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1180 ft Meas. rept 3

Depth cased: (first perf.) 21 ft Casing type: Steel Diam. 4 in

Finish: porous concrete, gravel v. (perf.), (C) concrete, (F) gravel v. (perf.), (G) screen, (H) horiz. gallery, (J) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other X

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd, (J) jetted, (P) air rot., (R) percussion, (T) rotary, (V) reverse, (W) driven, (Z) wash, other H

Date Drilled: 9:6:9 Pump intake setting: 0 ft

Driller: 0

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 0 Deep 0 Shallow 40

Power (type): diesel, elec. nat gas, gasoline, hand, gas, wind; H.P. 3/4 LP S Trans. or meter no. 0

Descrip. MP 0 above ft below LSD, Alt. MP 0

Alt. LSD: 250 Accuracy: (source) 4

Water Level 50 ft above MP; Ft below LSD 50 Accuracy: D

Date meas: 3:6:9 Yield: 5 gpm Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 K x 10<sup>6</sup> Temp. 0 °F Date sampled 0

Taste, color, etc. 0

Well No. B 21

Well No. B21

PUNCHED

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S \_\_\_\_\_ d \_\_\_\_\_ m \_\_\_\_\_ s

HYDROGEOLOGIC CARD

Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D 13C Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: K3 E2

Lithology: UAC Origin: 60 Aquifer Thickness: 120 ft

Length of well open to: 120 ft Depth to top of: 60 ft

MINOR AQUIFER: \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_


Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. B21





374  
372  
369  
TUPALO 14 MI.  
SHANNON 9 MI.  
11 S.  
5'  
372  
5 MI. TO MISS. 41  
3252 II SW  
(SHANNON)  
1769

Nettleton Quad

Nettleton  
(BM 266)

LEE CO.  
MONROE CO

Sims Sch

Grey Cem

Providence Cem

Sewage Disposal Pond

Claypit

Jones Chapel

Sewage Disposal Pond

ST. LOUIS  
SAN FRANCISCO

Roberts

Branch

TOWN

CREEK