

Nettleton

FORM 9-1642 (1-68)

Well No. B 25

WELL SCHEDULE

PUNCHED

U.S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data POWC Date 3/70 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 34^{deg} 04^{min} 12^{sec} N Longitude: 08^{deg} 83^{min} 25^{sec} W

Lat-long accuracy: 7 T 12 S R 7 W Sec 3 SW NE SW NE

Local well number: B025CA0312507E Other number: 48

Local use: 021 Owner or name: JOHN M. BUNCH Address: Nettleton

Ownership: County (C) Fed Gov't (F) City (M) Corp or Co (N) Private (P) State Agency (S) Water Dist (W) P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) (G) (H) (P) (R) (T) (U) (W) (X) (Z) W

DATA AVAILABLE: Well data Freq: W/L meas: Field aquifer char:

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no, period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 120 ft Meas. rept accuracy 3

Depth cased; (first perf.): 33 ft Casing type: Steel; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, end, (P) open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other H

Method drilled: (A) air bored, (B) cable, (C) dug, (D) hyd, (H) jetted, (J) air rot., (P) percussion, (R) reverse, (T) rotary, (U) trenching, (V) driven, (W) drive wash, (Z) other H

Date drilled: 9:70 Pump intake setting: 38 ft

Driller: name 3/4 address S

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other Deep Shallow

Power (type): diesel, elec., nat gas, gasoline, hand, gas, wind, H.P. 3/4 Trans. or meter no. S

Descrip. MP 285 ft above below LSD, Alt. MP Accuracy: 4

Alt. LSD: 38 ft above below MP; Ft below LSD 38 Accuracy: D

Water Level: 270 ft Date meas: 270 Yield: 5 gpm Method determined 5

Drawdown: 5 ft Accuracy: 5 Pumping period: 5 hrs

QUALITY OF WATER DATA: Iron ppm 5 Sulfate ppm 5 Chloride ppm 5 Hard. 5

Sp. Conduct K x 10 5 Temp. 5 Date sampled 5

Taste, color, etc. 5

Well No.

B 25

Well No. B 25

PUNCHED

Latitude-longitude _____ N
d m s S d m s

HYDROGEOLOGIC CARD

State of MASSACHUSETTS Physiographic Province: _____ Section: 013

Drainage Basin: D Subbasin: 13C

Topo of well site: (D) (C) (E) (P) (H) (K) (L) _____
(S) (P) (S) (T) (U) (V) _____
depression, stream channel, dunes, flat, hilltop, sink, swamp,
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system _____ series K3 aquifer, formation, group EZ

Lithology: U.S. Origin: 6 Aquifer Thickness: 80 ft

Length of well open to: 80 ft Depth to top of: 40 ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: 4"


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No.

B 25

Monroe
B 25
2-18-70

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

WATER WELL DRILLERS LOG

Shannon-Homan Well & Supply, Inc.

date well completed 2-18 19 70 P. O. Box 411 Monroe
 TURN-OUT AT SCORE WTRAIL SHANNON, MISSISSIPPI 39083 county well located

LANDOWNER:

John McBurnch

Nettleton, Miss. P.O. Box
(mailing address)

description of formations encountered

from

to

<u>Surface sand & clay</u>	<u>0</u>	<u>30</u>
<u>Red clay</u>	<u>30</u>	<u>40</u>
<u>Sand</u>	<u>40</u>	<u>120</u>
<u>Gravel</u>	<u>120</u>	

WELL LOCATION:

sec 3 T 12 R 7E
3 1/2 miles SE of Nettleton
 (distance) (direction) (nearest town)

WELL PURPOSE: home
 (home, irrigation, municipal, industrial)

WELL COMPLETION DATA:

- (1) diameter (inches) 4"
- (2) total depth (feet) 120
- (3) static water level (feet) 38 below above top of ground.
- (4) casing Steel, 33'
(material) (depth)
4" If telescope see back.
(size)
- (5) screen no
(length) (depth to top)
(size) (material)
- (6) pump 3/4 5
(HP) (yield gpm)
Electric
(type power)
- (7) electric log no
(yes or no)
- (organization running log)
- (8) how well bottom plugged open

DRILLERS REMARKS:

COPIED

MAR 9 - 1970

MISS. BD. OF
WATER COM.

