

Nettleton

FORM 9-1642 (1-68)

Well No.

B32

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B. D. Source of data Bowc Date 3-72 Map MAR 11 1973

State 28 County (or town) Marion 48

Latitude: 34° 04' 01" N Longitude: 088° 36' 33" W Sequential number: 1

Lat-long accuracy: 1 T. 12 N. 7 W. Sec 6 SW NW SW NE NE

Local well number: B032CB0612S07E Other number: B & M

Local use: 021 Owner or name: FRANK SISK Address: Nettleton

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other. H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 0

Freq. sampling: 0 Pumpage inventory: yes 0 no 0 period: 0

Aperture cards: 0 yes 0 no 0

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 200 Meas. rept accuracy 3

Depth cased: 36 Casing type: Steel Diam. in 5

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other. X

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd, (F) jetted, (G) air rot., (H) reverse percussion, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other. H

Date Drilled: 9-6-77 Pump intake setting: 0 ft

Driller: Hendon - No

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other. 0 Deep 0 Shallow 0

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 0 Trans. or meter no. 0

Descrip. MP 0 ft above below LSD, Alt. MP 0

Alt. LSD: 250 Accuracy: (source) 4

Water Level: 65 ft above below MP; Ft below LSD 105 Accuracy: 0

Date meas: 4-6-77 Yield: 0 gpm Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 K x 10⁶ Temp. 0 °F Date sampled 0

Taste, color, etc. 0

Well No.

B32

Monroe
B 32
4-67

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

Herndon-Homan Well & Supply, Inc.

4-11 19 67 P. O. Box 42 Monroe
date well completed SHANNON MISSISSIPPI 38868 county well located

LANDOWNER: 963 2334
Frank Sisk
Nettleton, Miss.
(mailing address)


description of formations encountered	from	to
<u>Surface sand & clay</u>	<u>0</u>	<u>30</u>
<u>Blue clay</u>	<u>30</u>	<u>80</u>
<u>Sand</u>	<u>80</u>	<u>200</u>
<u>Bottom</u>	<u>200</u>	

WELL LOCATION:
sec 6 T 12 N R 7 E
S W
1/2 miles SE of Nettleton
(distance) (direction) (nearest town)

WELL PURPOSE: Levad
(home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 5
 - (2) total depth (feet) 200
 - (3) static water level (feet) 65 below above top of ground.
 - (4) casing steel, 36',
(material) (depth)
5 If telescope see back.
(size)
 - (5) screen None
(length) (depth to top)
(size) (material)
 - (6) pump Electric
(HP) (yield gpm)
(type power)
 - (7) electric log no
(yes or no)
(organization running log)
 - (8) how well bottom plugged open

CODED



DRILLERS REMARKS:

