

341

WELL SCHEDULE

PUNCHED

U. S. -DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 3-72 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 34^{deg} 04^{min} 32^{sec} N Longitude: 088^{degrees} 35^{min} 30^{sec} W Sequential number: 1

Lat-long accuracy: 3⁷⁰ T 110⁷⁰ R 70⁷⁰ W, Sec 32, SW⁷⁰, SW⁷⁰

Local well number: B041CC3211S07E Other number: B & M

Local use: 021 Owner or name: HERSHEL MILLS Address: Tuttleton

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 220 ft Meas. rept accuracy 3

Depth cased: (first perf.) 21 ft Casing type: Steel; Diam. 5 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) percuss, (K) air rot., (L) air rot., (M) air percussion, (N) air percussion, (O) air percussion, (P) air percussion, (Q) air percussion, (R) air percussion, (S) air percussion, (T) air percussion, (U) air percussion, (V) air percussion, (W) air percussion, (X) air percussion, (Y) air percussion, (Z) air percussion X

Method: (A) air rot., (B) air rot., (C) air rot., (D) air rot., (E) air rot., (F) air rot., (G) air rot., (H) air rot., (I) air rot., (J) air rot., (K) air rot., (L) air rot., (M) air rot., (N) air rot., (O) air rot., (P) air rot., (Q) air rot., (R) air rot., (S) air rot., (T) air rot., (U) air rot., (V) air rot., (W) air rot., (X) air rot., (Y) air rot., (Z) air rot. H

Date Drilled: 9-7-72 Pump intake setting: 34 ft 5

Driller: Herndon-Homan name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): diesel, X nat gas, gasoline, hand, gas, wind; H.P. 34 5 Trans. or meter no. 5

Descrip. MP 34 ft above LSD, Alt. MP 5

Alt. LSD: 38 Accuracy: (source) D

Water Level: 38 ft above MP; 38 ft below LSD Accuracy: D

Date meas: 2-7-72 Yield: 5 gpm Method determined 5

Drawdown: 5 ft Accuracy: 5 Pumping period 5 hrs

QUALITY OF WATER DATA: Iron 5 ppm Sulfate 5 ppm Chloride 5 ppm Hard. 5 ppm

Sp. Conduct 5 K x 10 5 Temp. 5 °F Date sampled 5

Taste, color, etc.

Well No.

341

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

031301
WATER CARD

Physiographic Province: _____

0:3 Section: _____

D Drainage Basin: _____

1:3:4 Subbasin: _____

well site: (D) (C) (E) (F) (H) (K) (L) stream channel, dunes, flat, hilltop, sink, swamp.

(O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

K3 series

E2 aquifer, formation, group

Lithology: _____

US Origin: _____

6 Aquifer Thickness: **100** ft

100 Length of well open to: _____ ft

Depth to top of: **100** ft

MINOR AQUIFER:

series

aquifer, formation, group

Lithology: _____

Origin: _____

Aquifer Thickness: _____ ft

Length of well open to: _____ ft

Depth to top of: _____ ft

Intervals Screened:

NONE

Depth to consolidated rock: _____ ft

Source of data: _____

Depth to basement: _____ ft

Source of data: _____


Surficial material: _____

Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft

Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. _____

B41