

Wren

FORM 9-1642 (1-68)

Well No. B48

**PUNCHED**

5/18/88  
destroyed  
Gdsq/ym

U. S. DEPT. OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

MASTER CARD

MAR 11 1973

Record by B.D. Source of data Bowc Date 4-72 Map \_\_\_\_\_

State 28 County (or town) Merrill 48

Latitude: 33 59 54 N Longitude: 088 34 59 Sequential number: 1

Lat-long accuracy: 1 120 7 32 SE NE NE

Local well number: B048AA3212507E Other number: \_\_\_\_\_ B & M

Local use: 071 Owner or name: \_\_\_\_\_

Owner or name: JAMES GARNER Address: Meriden

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instic, Unused, Répression, Recharge, Desal-P.S, Desal-other, Other NOT IN USE NOW H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data:

Qual. water data: type:

Freq. sampling:  Pumpage inventory: no  period:

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 286 ft Meas. 3

Depth cased: 32 ft Casing Type: \_\_\_\_\_; Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) ad. pt., (W) shored, (X) open hole, (Z) other X

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 960 Pump intake setting: \_\_\_\_\_ ft

Driller: Reeves

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other  Deep  Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 330 Accuracy: 4

Water Level: 129 ft above MP; 129 ft below LSD Accuracy: D

Date meas: 060 Yield: \_\_\_\_\_ gpm Method determined: \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled: \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

B48



**B48**

**CODED**

**WATER WELL DRILLERS LOG**

Date: 10-17, 1960, Driller: W. J. REEVES & SON County MONROE

239-1 TULLY RT at BUNCH ST (Name) 5072 ch Tr RT 2nd 40 on RT.


| (1) Owner of Land:  | Description & Color of Materials<br>Sand, Clay, Red Clay, Shell, etc. | Thick-<br>ness<br>Feet | Depth<br>Feet |
|---|---|------------------------|---------------|
| <u>JAMES CARNER</u><br>(Name)   | <u>RED CLAY</u>   | <u>18</u>              | <u>0</u>      |
| <u>ABERDEEN, MISS-</u><br>(Address)   | <u>BLUE CLAY</u>  | <u>127</u>             | <u>18</u>     |
| <u>H W 278 W</u><br><u>256 8713 S 1/2 NENE</u><br>(Address)                                   | <u>BLUE SAND</u>  | <u>12</u>              | <u>145</u>    |
| (2) Location: <u>1/4, 1/4, Sec. 32 T12R 7,</u>  | <u>SAND + CLAY STRKS</u>  | <u>55</u>              | <u>152</u>    |
| <u>4</u> miles <u>W</u> , of <u>AMORY</u><br>(distance) (direction) (Nearest Town)            | <u>BLUE CLAY</u>  | <u>14</u>              | <u>212</u>    |
| (3) Topography: <u>HILLY</u><br>(Hilly) (Flat) (Level)  | <u>BLUE SAND</u>  | <u>42</u>              | <u>226</u>    |
| (4) Purpose of Well: <u>DOMESTIC</u><br>(Domestic Irrigation<br>Municipal, Industrial, Other) | <u>BLUE CLAY</u>  | <u>18</u>              | <u>268</u>    |

Information upon completion of well:

- (1) Diameter 4 inches. NOT IN USE
- (2) Total Depth 286 feet. ON WATER 5 1/2
- (3) Water Level 129 feet below top of ground.
- (4) Cased to 32', Size 4"
- (5) Screen: Size \_\_\_\_\_, Length \_\_\_\_\_.
- (6) Were any formations sealed against pollution?  
\_\_\_\_\_ yes, \_\_\_\_\_ no.

If YES depth of formation \_\_\_\_\_  
Why \_\_\_\_\_  
Drillers Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CODED**



(Use Back Side)

Well No.

STATES  
THE INTERIOR  
SURVEY

# NE MISS

51 R. 7 E. 352000m.E. 353 35' 354 355 3252 II SE (NETTLETON) 356

