

Wren

FORM 9-1642 (1-68)

Well No. B50

WELL SCHEDULE  
GEOLOGICAL SURVEY

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION

MASTER CARD

MAR 11 1973

Record by JCM Source of data Bowe Date 7-72 Map \_\_\_\_\_  
 State 28 County (or town) Monroe 48  
 Latitude: 33<sup>deg</sup> 59<sup>min</sup> 10<sup>sec</sup> N Longitude: 08<sup>deg</sup> 8<sup>min</sup> 36<sup>sec</sup> W Sequential number: 1  
 Lat-long accuracy: 2<sup>min</sup> 120<sup>sec</sup> W. Sec 31 SW 15W 5W 5W  
 Local well number: B050CC3112507E Other number: \_\_\_\_\_ B & M  
 Local use: 021 Owner or name: \_\_\_\_\_  
 Owner or name: J. HONEYCUTT Address: Okalona  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  
 Use of water: (A) Air cond, Bottling, (B) Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (C) Stock, Instic, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 340 Meas. accuracy \_\_\_\_\_  
 Depth cased; (first perf.): \_\_\_\_\_ ft. 35 Casing type: Steel Diam. in \_\_\_\_\_  
 Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (gallery), (H) horiz. open end, (I) open perf., (J) screen, sd. pt., (K) shored, open hole, (L) other \_\_\_\_\_  
 Method: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percuss, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_  
 Date Drilled: 9-7-72 Pump intake setting: \_\_\_\_\_ ft. \_\_\_\_\_  
 Driller: Herman Homan  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_  
 Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 285 Accuracy: \_\_\_\_\_  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_  
 Date meas: 6-7-72 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. B50

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S

HYDROLOGIC RECORD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

Section: 03

20 21

Drainage Basin: 13L

Subbasin: \_\_\_\_\_

22

Top of DRAM (C) (E) (P) (H) (K) (L)  
depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system series: K3

aquifer, formation, group: E3

Lithology: \_\_\_\_\_

Origin: S

Aquifer Thickness: 140 ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: 140 ft

Depth to top of: 200 ft

MINOR AQUIFER:

system series: \_\_\_\_\_

aquifer, formation, group: \_\_\_\_\_

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: None

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_





DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

88° 37' 30"  
00"

R. 6 E. R. 7 E.

352000m E.

353

35'

354

000m N.  
0.2 MI. TO U.S. 278  
12 S.  
13 S.  
3761  
3760  
3759  
30"  
3758  
3757



13