

Nettleton

FORM 9-1642 (1-68)

Well No. C 25

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data BANC Date 3-7-72 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 34 03 36 N Longitude: 088 30 06 Sequential number: 1

Lat-long accuracy: 12 0 8 0 W, Sec 6 NW 1/4 SW 1/4 SW 1/4

Local well number: C 025 C 06 1 7 5 0 8 E Other number: B & M

Local use: 0 2 1 Owner or name: B. C. L. V. A. D. D. Address: Anony.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water:

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.

DATA AVAILABLE: Well data, Freq. W/L meas., Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: no, period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 200 Meas. 3

Depth cased: (first perf.) 70 4 ft Casing type: 7 0 ; Diam. in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horz. gallery, open end, perf., screen, sd. pt., shored, open hole, other

Method: air bored, cable, dug, hyd jetted, air reverse, (T) trenching, driven, drive rot., rot., percussion, rotary, wash, other

Date Drilled: 9:6:5 Pump intake setting: ft

Driller: Hernandez - Ho

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 330 Accuracy: (source) 4

Water Level: 80 ft above below MP; Ft below LSD 8:0 Accuracy: 1

Date meas: 0:6:5 Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard. Sp. Conduct K x 10 Temp. Date sampled

Taste, color, etc.

Well No.

35

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province:                     

Section: 03

Drainage Basin: D

Subbasin: 13B

Topo of well site: ETEN IJIRAM (C) (E) (F) (H) (K) (L)  
(O) (P) (S) (T) (U) (V)  
depression, stream channel, dunes, flat, hilltop, sink, swamp,  
offshore, pediment, hillside, terrace, undulating, valley flat.

MAJOR AQUIFER:                      K3                      MS  
system series aquifer, formation, group

Lithology: US Origin: 6 Aquifer Thickness: 120 ft

Length of well open to: 120 ft Depth to top of: 80 ft

MINOR AQUIFER:                                                                                      
system series aquifer, formation, group

Lithology:                      Origin:                      Aquifer Thickness:                      ft

Length of well open to:                      ft Depth to top of:                      ft

Intervals Screened:                                                                                    


Depth to consolidated rock:                      ft Source of data:                     

Depth to basement:                      ft Source of data:                     

Surficial material:                      Infiltration characteristics:                     

Coefficient Trans:                      gpd/ft<sup>2</sup> Coefficient Storage:                     

Coefficient Perm:                      gpd/ft<sup>2</sup>; Spec cap:                      gpm/ft; Number of geologic cards:                     



MONROE MISSISSIPPI BOARD OF WATER COMMISSIONERS

OC25  
10-8-65

WATER WELL DRILLERS LOG

**CODED**

Herndon-Horman Well & Supply, Inc.

Date: Oct 8, 1963, Driller:

P. O. Box 42

County

Monroe

SHANNON, MISSISSIPPI 38868

		Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land:	Billy Hood (Name)			
Hw 371 N. 2562228 (Address)	Amory, Miss.	red clay	0-10	
(2) Location:	SW 1/4, SW 1/4, Sec. 6, T. 1 R. 1 E.	blue clay	10-68	
6 miles NW, of Amory, (distance) (direction) (Nearest Town)		and sand		
(3) Topography:	Hilly	blue clay	68-70	
(4) Purpose of Well:	Domestic	sand	70-200	
		bottom	200	

Information upon completion of well:


- (1) Diameter 4 inches.
- (2) Total Depth 200 feet.
- (3) Water Level 80 feet below top of ground.
- (4) Cased to 70' 4", Size 4"
- (5) Screen: Size \_\_\_\_\_, Length \_\_\_\_\_
- (6) Were any formations sealed against pollution?  
 yes,  no.

If YES depth of formation 68'

Why surface & sand

Drillers Remarks:

**CODED**



Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.



MONROE 70

LIBERTY 70

Union View Ch

Pine Grove Ch

Creek  
Atkin Cem

Lake Whitford  
SOUTH 1/4 SEC 24

Conwill Cem

Gravel Pit

Flowing Well

Mettriton Quas

52  
45

B602

B604

B600

B601

B-17

B-15

47

48

41

49