

C68

92B

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

NOV 21 1972

MASTER CARD

Record by PEW Source of data obs. E. D. L. Date 9-12-72 Map Smithville

State 28 County Monroe (or town) 48

Latitude: 34 01 15 N Longitude: 08 8 29 21 Sequential number: 2

Lat-long accuracy: 20 T 12 S R 8 E Sec 20, NW, NW, SW

Local well number: C 0 6 B B C 2 0 1 2 S 0 8 E Other number: B & M

Local use: 0 8 2 Owner or name: USCE NΦ 92B Address: \_\_\_\_\_

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, Private, State Agency, Water Dist (N) (P) (S) (W) F

Use of water: (A) Air-cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other U

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed Well destroyed 7/91

DATA AVAILABLE: Well data 70 Freq. W/L meas.: M Field aquifer char. 71

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ yes 75 Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes 77

Log data: See E-log 82 D E 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 19 Meas. rept accuracy 24 1

Depth cased: (first perf.) \_\_\_\_\_ ft 14 Casing type: PVC Diam. in 4

Finish: (C) concrete, (F) porous gravel w. (G) gravel w. (H) horiz. (I) open (J) perf. (K) screen, (L) sq. pt., (M) shored, (N) open (O) hole, (P) other P

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse trenching, (G) driven, (H) drive rot., (I) percussion, (J) rotary, (K) wash, (L) other H

Date Drilled: 8/1/72 9 7 2 Pump intake setting: \_\_\_\_\_ ft 36 38

Driller: USCE Parker

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 39 Deep 40 Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 41 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 47 3

Water Level: 10.81 ft above below MP 42 Ft above below LSD 9 Accuracy: 52 A

Date meas: 0 7 2 Yield: 2 7-31-72 gpm 53 Method determined 61

Drawdown: \_\_\_\_\_ ft 62 Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs 65 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm 69 Sulfate \_\_\_\_\_ ppm 70 Chloride \_\_\_\_\_ ppm 71 Hard. \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10 73 Temp. \_\_\_\_\_ °F 74 76 Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

**HYDROGEOLOGIC CARD**

MAJOR I 125

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13B Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp (L) L  
(C) .. (E) (F) .. (H) (K) (L) L  
(Q) (P) (S) (T) (U) (V) L  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: Q- Alluvium QA  
system series aquifer, formation, group

Lithology: 8G Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 5 Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

see 91A  
MP- 1.20

5/16/85 2:02  
8/27/85 - 7:14



Well No.

C-68

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING


COUNTY WELL LOCATED MONROE	
WELL NUMBER 928	CODED
DATE WELL PLUGGED 18 JULY 1991	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER U.S. ARMY CORPS OF ENG. DIST. MOBILE P.O. BOX 2288 MOBILE AL 36628			
WELL LOCATION	SEC	TOWNSHIP	RANGE
S.W. 1/4 S 20 T 12 S R 08 E			
DIS-TANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. GROUND WATER STUDY			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth 19'	Casing Diameter (In.) 4"	Casing Length (Ft.)
Type of Casing PVC	Hole Depth	Depth to Static Water Level TOP OF PVC PIPE 3.50
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.,
PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER
PUMPED 2.4 C.F. GROUT IN WELL
REMOVED 6" PROTECTOR PIPE AND GUARD POST
CUT RISER PIPE BELOW GROUND LEVEL

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
 SIGNATURE	7/18/91 DATE

TY  
631  
NG  
NG

PE