

Wren

FORM 9-1642 (1-68)

Well No. F29

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data Rowc Date 3-72 Map MAR 11 1973

State 28 County (or town) Marion 48

Latitude: 33° 55' 45" N Longitude: 088° 37' 30" W

Lat-long accuracy: 1 T 13 N 6 R 24 W Sec 5 S 5 W

Local well number: F029DC2413506E Other number: B & H

Local use: 021 Owner or name: CONTRACTOR

Owner or name: CLIFF HANNA Address: Aberdeen

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inscit, Unused, Repressure, Recharge, Desal-P.S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (D) W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 340 ft Meas. rept 3

Depth cased; (first perf.) 20'6" ft 20 Casing type: Steel ; Diam. 5 in accuracy

Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (gallery), (H) horiz. open end, (I) perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) air, (G) reverse percussison, (H) rotary, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 9-6-8 Pump intake setting: 1 ft

Driller: Ardon Ho

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 1 Trans. or meter no. 5

Descrip. MP 1 above ft below LSD, Alt. MP

Alt. LSD: 255 Accuracy: (source) 4

Water Level: 80 ft above below MP; Ft below LSD 80 Accuracy: D

Date meas: 6-6-8 Yield: 10 gpm Method determined 1

Drawdown: 1 ft Accuracy: 1 Pumping period 1 hrs

QUALITY OF WATER DATA: Iron 1 ppm Sulfate 1 ppm Chloride 1 ppm Hard. 1 ppm

Sp. Conduct 1 K x 10 1 Temp. 1 °F Date sampled 1

Taste, color, etc. 1

Well No.

F29

Latitude-longitude _____

HYDROLOGIC RECORD

SAME AS ON MASTER CARD

Physiographic Province: _____

03 Section: _____

D Drainage Basin: _____

137 Subbasin: _____

ESTER LITRAM

Topo of well site: (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (Q) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: _____ system series K3 aquifer, formation, group EZ

Lithology: _____ US Origin: 6 Aquifer Thickness: 140 ft

170 Length of well open to: _____ ft _____ Depth to top of: _____ ft 200

MINOR AQUIFER: _____ system series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

_____ Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: _____


Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. _____

F 27

Monroe
K 29
6-68

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

Hendon-Homan Well & Supply, Inc.

6-26 1958
date well completed

SHANNON, MISSISSIPPI 38888 county well located

LANDOWNER: Cliff Hanna
wren 2563395
At 1, Aberdeen Miss
(mailing address)

description of formations encountered	from	to
surface sand	0	18
blue clay	18	200
red clay	200	340
135 ft	340	

WELL LOCATION:
24 sec T 13 N R 1 E
S W
5 miles NW of Aberdeen
(distance) (direction) (nearest town)

WELL PURPOSE: House
(home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 5
 - (2) total depth (feet) 340
 - (3) static water level (feet) 80 below above top of ground.
 - (4) casing steel 20' 6"
(material) (depth)
5 If telescope see back.
(size)
 - (5) screen ND
(length) (depth to top)
(size) (material)
 - (6) pump 1 ND
(HP) (yield gpm)
Electric
(type power)
 - (7) electric log ND
(yes or no)
(organization running log)
 - (8) how well bottom plugged open

CODED

JUL 6 1958
MISS. Bd. of WATER COMMISSIONERS

DRILLERS REMARKS:

Wren Quad

