

MAY 14 1975

FORM 9-1642 (1-68)

Well No. F58

**PUNCHEL**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by Hester Source of data Bowc Date 7-3-74 Map \_\_\_\_\_

State 28 County Monroe (or town) 48

Latitude: 33<sup>deg</sup> 59<sup>min</sup> 00<sup>sec</sup> N Longitude: 088<sup>deg</sup> 39<sup>min</sup> 14<sup>sec</sup> Sequential number:     

Lat-long accuracy: 3<sup>deg</sup> 13<sup>min</sup> 6<sup>sec</sup> E W. Sec 1, NW 1, NW 1, NE 1

Local well number: F058BA0113506E Other number:      B & H

Local use: 021 Owner or name: DAVE MCINTOSH Address: \_\_\_\_\_

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  (P)

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other \_\_\_\_\_  (H)

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed \_\_\_\_\_  (W)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_  Pumpage inventory:  yes, no, period: \_\_\_\_\_

perature cards: \_\_\_\_\_  yes

Log data: \_\_\_\_\_  (D)

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 300 Meas. 3

Depth cased: (first perf.) \_\_\_\_\_ ft 21 Casing type: steel; Diam. \_\_\_\_\_ in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open hole, (K) other \_\_\_\_\_  (X)

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_  (H)

Date Drilled: 9-7-74 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: H Harmon W & Sup name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_  (S) Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_  (S) Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD 125 Accuracy: \_\_\_\_\_  (D)

Date meas: 7-7-74 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

