

**WELL SCHEDULE
FOR
THE OFFICE OF LAND AND WATER RESOURCES**

Fips: 95

Well: F69

Log No: _____

Recorded by: PPhillips Data Source: Driller's log Date: 8/4/99

County: Monroe Permit No.: GW14455 DOH No.: 0090013-01

Quad: Egypt Elevation: 283

1/4: SE 1/4: SE 1/4: SW 1/4: SW Sec.: 6 T: 135 R: 6E

Plotted on quad?: In field? From drillers log? _____ From permit? _____

Latitude: _____ Longitude: _____ GPS? From quad? _____

Primary Aquifer: EUTW Secondary Aquifer: _____

Use: W.A Well status: _____ Local Well Name: _____

Owner: East Chickasaw W.A.

Date completed: 12/14/91 Driller: T.M. Parks Well depth: 480' Hole depth: 620'

Pump type: Turbine Power type: Electric Pump capacity: _____

Screen interval: (-117 to -177)
400 - 460 Screen length: 60' Screen diameter: 6"

Screen interval: _____ Screen length: _____ Screen diameter: _____

Casing interval: (283 to -109)
0 - 392 Casing length: 392 Casing diameter: 10" (?)

Casing interval: * There is another casing, but
drillers log doesn't list it! Casing length: _____ Casing diameter: _____

Type of logs: _____ Log interval: _____

Initial water level(l/s): _____ Date: _____ Measuring point description: _____

Water Quality Data? _____ Source: _____ Reliability: _____

Water Level Data? _____ Source: _____ Reliability: _____

Pump Test Data? _____ Source: _____ Reliability: _____

Water Use Data? _____ Source: _____ Reliability: _____

Water level data

This area for location map and notes

MONROE
F69
12-14-91

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

Southport Mall

P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

Coded

12-14-91
date well completed

T.M. PARKS DRILLING & SALES
firm name

MONROE
CHICKASAW
county well located

LANDOWNER:	description of formations encountered	from	to
EAST CHICKASAW WATER ASSN. P.O. Box 87	TOP SOIL	0	30
OKOLONA, MS 38860 (mailing address)	CLAYS, CHALKS	30	440
WELL LOCATION: sec. 6 T. 13 N. R. 6 E COUNTY LINE RD. OKOLONA (distance) miles (direction) of (nearest town)	SHALE W/ FINE SAND	440	470
WELL PURPOSE: MUNICIPAL (home, irrigation, municipal, industrial)	FINE SAND	470	490
WELL COMPLETION DATA: (1) diameter (inches) 13 3/4" (2) total depth (feet) 480' (3) static water level (feet) 136' below above top of ground. (4) casing STEEL 392' (material) (depth) (size) if telescope see back. (5) screen 60' 400' (length) (depth to top) 6" STEEL (size) (material) (6) pump 40 250 (HP) (yield gpm) 3 PHASE (type power) (7) electric log YES (Yes or no) MGS (organization running log) (8) how well bottom plugged BVP	SANDY SHALE W/CLAY	490	520
	CLAY, SHALE, LUMP SAND	520	590
	GOOD SAND W/ SHALE	590	620
DRILLERS REMARKS:			


RECEIVED

JUN 05 1992

Dept. of Environmental Quality
Bureau of Land & Water Resources

If well telescopes please
sketch and show depths.

GROUND LEVEL



SECTION _____

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen,
show locations of each on sketch.

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): AH / MD DATE: 7/14/99
UNIT DEQ #: _____ FILE #: A071422B
HEALTH DEPT. #: 090013-01- ELEV.: _____
USGS #: F69 (Monroe Co.) OLWR #: GW14455
OWNER: E. Chickasaw W. A. QUAD: Egypt
LOCATION: S 6 T 135 R 6E COUNTY: Chickasaw (In Monroe Co.)
LOCATION DESCRIPTION: Well located in fence. West of
45A11 on Chapel Grove Rd
.4 to wall off of 45A11
CASING DIAM: _____ PUMP TYPE AND SIZE: Sub
GPS FIELD LOCATION: LAT: 33° 58.347 N LONG: 88° 43.018 W
GPS CORRECTED: LAT: 33.972233 LONG: 88.716317
REMARKS: 299
Off of 45A11 turn left onto Chapel Grove Rd.
Well located .4 on Rt side of Rd

This
spots in
Monroe
Co.

