

Wren

FORM 9-1642 (1-68)

Well No. G36

WELL SCHEDULE GEOLOGICAL SURVEY

PUNCHED

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data Bowe Date 3-72 Map MAR 1 1973
State 28 County (or town) Manassas
Latitude: 33 56 18 N Longitude: 088 35 45
Local well number: G036A1913S07E
Owner or name: RUSSELL HOWARD Address: Aberdeen
Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist
Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z)
Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 240 Meas. rept accuracy
Depth cased: 21' 10" Casing type: 2.2
Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other
Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) air percussion, (G) reverse, (H) rotary, (I) trenching, (J) driven, (K) wash, (L) other
Date Drilled: 9:6:5 Pump intake setting:
Driller: Kerndon - No.
Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg., (K) turb., (L) other
Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.
Descrip. MP: above ft below LSD, Alt. MP
Alt. LSD: 280 Accuracy: (source)
Water Level: 80 ft above MP; 80 ft below LSD Accuracy:
Date meas: 6:6:5 Yield: gpm
Drawdown: ft Accuracy: Pumping period: hrs
QUALITY OF WATER DATA: Iron, Sulfate, Chloride, Hard.
Sp. Conduct: K x 10 Temp. Date sampled
Taste, color, etc.

Well No. G-36

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAFETY SYMBOL (66-1)

SAME AS CARD NO. 19 Physiographic Province: E Section: 03
 Drainage Basin: D Subbasin: 73C

Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: (D) (C) (E) (F) (H) (K) (L)
 (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat. 27

MAJOR AQUIFER: K3 E3
 system series aquifer, formation, group

Lithology: US Origin: 6 Aquifer Thickness: 120 ft

Length of well open to: 120 ft Depth to top of: 120 ft

MINOR AQUIFER:
 system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened:


Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards:



Well No. 976

MONROE MISSISSIPPI BOARD OF WATER COMMISSIONERS

G36
6-27-65

WATER WELL DRILLERS LOG

CODED

Herndon-Homan Well & Supply, Inc.

Date: Jan 27, 1965, Driller: SHANNON, MISSISSIPPI County, Monroe
P. O. Box 42
(Name)

TURN LOG ON HW 15' to 240'

		Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land: <u>Russel Howard</u> (Name)				
<u>Plot 1, Aberdeen, Miss.</u> (Address)		<u>surface sand</u>		
<u>S 1/2 NE NE</u> (Address)		<u>+ clay</u>		<u>0-19</u>
(2) Location: <u>1/4, 1/4, Sec 20 T 13 R 7 E</u> (Address)		<u>Blue clay</u>		<u>19-120</u>
<u>5 miles N</u> , of <u>Aberdeen</u> (distance) (direction) (Nearest Town)		<u>Sand</u>		<u>120-240</u>
(3) Topography: <u>Flat</u> (Hilly) (Flat) (Level)		<u>Bottom</u>		<u>240</u>
(4) Purpose of Well: <u>Domestic</u> (Domestic Irrigation Municipal, Industrial, Other)				

Information upon completion of well:

- (1) Diameter 5 inches.
 (2) Total Depth 240 feet.
 (3) Water Level 30 feet below top of ground.
 (4) Cased to 21' 10", Size 5".
 (5) Screen: Size —, Length —.
 (6) Were any formations sealed against pollution?
 yes, no.

If YES depth of formation 19'

Why surface & sand

Drillers Remarks: _____

CODED



Well No. _____

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.

