

Probably destroyed - this area is a new subdivision

Amory

FORM 9-1642
(1-68)

Well No. H 12

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.P. Source of data Bowc Date 10-76 Map MAR 11 1973

State 28 County (or town) Maricopa 48

Latitude: 33° 56' 27" N Longitude: 088° 28' 24" W Sequential number: 1

Lat-long accuracy: 1 I. 13 N 18 E Sec. 18 SE NW NW

Local well number: H 012 B B 18 13 5 18 W Other number: _____ B & M

Local use: 071 Owner or name: _____

Owner or name: KIRKPATRICK BRO Address: Buckley, MO.

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) S

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other W

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (Ø) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Ø) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: no. period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 179 ft Meas. rept 3

Depth cased: (first perf.) 159 ft Casing type: PVC ; Diam. 4 in accuracy _____

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ø) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Ø) other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Ø) other H

Date Drilled: 9-7-0 Pump intake setting: _____ ft

Driller: W. A. Reames name address _____

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Ø) other Deep Shallow 40

Power (type): nat, LP, Trans. or meter no.

Descrip. MP above below 41 ft LSD, Alt. MP _____

Alt. LSD: 235 Accuracy: (source) 4

Water Level: 15 ft above MP; 15 ft below LSD Accuracy: D

Date meas: 3-7-0 Yield: _____ gpm Method determined: _____

Drawdown: _____ ft Accuracy: _____ Pumping period: _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

Well No. H 12

MONROE
H 12
3-2-70

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

3-2 1970 W.J. REEVES & SON MONROE
date well completed firm name county well located

LANDOWNER: KIRK PATRICK BROS.
BECKER
256 3208
(mailing address)

description of formations encountered	from	to
SANDY CLAY	0	19
SAND & GRAVEL	19	32
BLUE CLAY	32	118
" SAND	118	127
" CLAY	127	151
WHITE SAND	151	179

WELL LOCATION:
sec. 18 T. 13 S. R. 18
3 miles So. of AMORY
(distance) (direction) (nearest town)

WELL PURPOSE: HOLDS
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:

(1) diameter (inches) 4

(2) total depth (feet) 179

(3) static water level (feet) 15 below top of ground.

(4) casing PVC, 159
(material) (depth)

4 if telescope see back.
(size)

(5) screen 20, 159
(length) (depth to top)

4, PVC
(size) (material)

(6) pump _____
(HP) (yield gpm)

(type power) _____

(7) electric log NO
(yes or no)

(organization running log) _____

(8) how well bottom plugged SAND

CODED

AUG 26 1970

MISS. BD. OF
WATER COM.

DRILLERS REMARKS:

