

Egypt

FORM 9-1642 (1-68)

Well No. K 19

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data BOWC Date 4/69 Map MAR 11 1973

State 28 County (or town) Mosaroe 48

Latitude: 33^{deg} 53^{min} 11^{sec} N Longitude: 088^{deg} 39^{min} 45^{sec} Sequential number: 1

Lat-long accuracy: 1^{sec} 14^{min} 6^{sec} NE 3^{min} SW SE

Local well number: K019.C.D.0314.S06E Other number: B & M

Local use: 021 Owner or name: C W WHITLEY Address: Aberdeen

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Res, (M) Stock, (N) Instit, (O) Unused, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas: Field aquifer char:

Hyd. lab. data:

Qual. water data: type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes no

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 300 ft Meas. rept accuracy 3

Depth cased; (first perf.): 27 ft Casing type: Steel; Diam. in 5

Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (gallery), (H) horiz. open end, (I) open perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other X

Method: (A) drilled, (B) air bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) reverse percussion, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date drilled: 969 Pump intake setting: 3 ft

Driller: name address 39

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 39 Deep Shallow

Power (type): diesel, eled, gas, gasoline, hand, gas, wind; H.P. 13 Trans. or meter no. 5

Descrip. MP 1 above ft below LSD, Alt. MP 47

Alt. LSD: 270 Accuracy: (source) 4

Water Level: 85 ft above below MP; Ft below LSD 85 Accuracy: 0

Date meas: 369 Yield: 5 gpm Method determined 01

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs 00

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 K x 10⁶ Temp. 0 °F Date sampled 00

Taste, color, etc. 0

Well No. K 19

Well No. K 19

PUNCHED

Latitude-longitude: _____
d m s d m s

HYDROGEOLOGIC CARD

Province: 03 Section: _____
Drainage Basin: 1131L Subbasin: _____

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (R) hilltop, (K) sink, (L) swamp, (S) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

MAJOR AQUIFER: K3 system, EZ series, aquifer, formation, group

Lithology: US Origin: 6 Aquifer Thickness: 120 ft
Length of well open to: _____ ft Depth to top of: 180 ft


MINOR AQUIFER: _____ system, _____ series, aquifer, formation, group

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: _____
Depth to consolidated rock: _____ ft Source of data: _____
Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____
Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No.

K 19

mouse
K 19
3-30-69

MISSISSIPPI
 BOARD OF WATER COMMISSIONERS
 416 North State Street
 Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

3-30 1969 Herndon-Roman Well & Supply, Inc. mouse
 date well completed firm name Box 42 county well located
SEANNON, MISSISSIPPI 39338

LANDOWNER:
C.W. Whitley
Abbeville, Miss.
 (mailing address)

description of formations encountered	from	to
<u>Yellow clay</u>	<u>0</u>	<u>18</u>
<u>Blue clay</u>	<u>18</u>	<u>100</u>
<u>Sand</u>	<u>100</u>	<u>300</u>
<u>Bottom</u>	<u>300</u>	

WELL LOCATION:
 sec. 3 T. 4 N. R. 6 E.
9 miles E of Egg
 (distance) (direction) (nearest town)

WELL PURPOSE: Home
 (home, irrigation, municipal, industrial)



- WELL COMPLETION DATA:
- (1) diameter (inches) 5
 - (2) total depth (feet) 300
 - (3) static water level (feet) 85 below above top of ground.
 - (4) casing steel, 2 1/4"
 (material) (depth)
5 If telescope see back.
 (size)
 - (5) screen NO
 (length) (depth to top)
 (size) (material)
 - (6) pump 1/3 5
 (HP) (yield gpm)
electric
 (type power)
 - (7) electric log NO
 (yes or no)
 (organization running log)
 - (8) how well bottom plugged open

CODED

WAY 26 1969

MISS. BD. OF
 WATER COMM.

DRILLERS REMARKS:



349

ROAD CLASSIFICATION

Heavy-duty	—————	Light-duty	-----
Medium-duty	—————	Unimproved dirt	-----
	⬡ U. S. Route		○ State Route

17 17