

Aberdeen

FORM 9-1642 (1-68)

Well No. K 25

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by V.S. Source of data Bowc Date 1/69 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 33^{deg} 52^{min} 15^{sec} N Longitude: 08^{deg} 83^{min} 70^{sec} W Sequential number: 1

Local well number: K 025 CD 1214 S 06 E Other well number: B & M

Local use: 021 Owner or name: ROBT LUKER

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (S) Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data 0 Freq. W/L meas: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 0

Freq. sampling: 0 Pumpage inventory: 0 yes/no; period: 0

Aperture cards: 0 yes 0

Log data: 0

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 300 ft Meas. rept accuracy 3

Depth cased; (first perf.) 32 ft Casing type: Steel Diam. 5 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other X

Mechod: (A) air, (B) bored, (C) cable, (D) dug, (H) hyd jettted, (J) air rot., (P) reverse, (R) percuss, (T) trenching, (U) driven, (V) drive wash, (W) other H

Date Drilled: 969 Pump intake setting: 0 ft

Driller: 0 name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 0 Deep 0 Shallow 0

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 0 Trans. or meter no. 0

Descrip. MP 0 above ft below LSD, Alt. MP 0

Alt. LSD: 250 Accuracy: (source) 0

Water Level: 80 ft above below MP; Ft below LSD 80 Accuracy: 0

Date meas: 769 Yield: 0 gpm Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs

QUALITY OF WATER DATA: Iron 0 Sulfate 0 Chloride 0 Hard. 0 Sp. Conduct 0 K x 10⁶ Temp. 0 Date sampled 0

Well No. K 25

Well No. K 25

PUNCHED

Latitude-longitude _____ N _____ S

HYDROGEOLOGIC CARD

Province: _____ Section: 03

Drainage Basin: D Subbasin: 137

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat.

MAJOR AQUIFER: system _____ series K3 aquifer, formation, group EZ

Lithology: UP Origin: 6 Aquifer Thickness: 120 ft

Length of well open to: _____ ft Depth to top of: 180 ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: _____


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No.

K 25

Monroe Co 48 3
~~Adison~~
 K25
 7-69

MISSISSIPPI
 BOARD OF WATER COMMISSIONERS
 416 North State Street
 Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

7-30-69 1978 Herndon-Homan Well & Supply Monroe
 date well completed firm name county well located

| LANDOWNER: | description of formations encountered | from | to |
|---|---------------------------------------|------|-----|
| Robert Lulex | Surface sand & clay | 0 | 20 |
| Route 3 | Blue clay | 20 | 180 |
| Aberdeen, Miss. | Sand | 180 | 300 |
| (mailing address) | Gravel | 300 | |
| WELL LOCATION: | | | |
| 12 th T 14 th N R 6 th E | | | |
| 3 miles SW of Aberdeen | | | |
| (distance) (direction) of (nearest town) | | | |
| WELL PURPOSE: home | | | |
| (home, irrigation, municipal, industrial) | | | |
| WELL COMPLETION DATA: | | | |
| (1) diameter (inches) 5" | | | |
| (2) total depth (feet) 300' | | | |
| (3) static water level (feet) 80 below top of ground. | | | |
| (4) casing: Steel 32'6" (material) (depth) | | | |
| 5" (size) if telescope see back. | | | |
| (5) screen 70 (length) (depth to top) | | | |
| (size) (material) | | | |
| (6) pump No (HP) (yield gpm) | | | |
| (type power) | | | |
| (7) electric log No (yes or no) | | | |
| (organization running log) | | | |
| (8) how well bottom plugged open | | | |
| DRILLERS REMARKS: | | | |

CODED

MISSISSIPPI
 BOARD OF
 WATER COMMISSIONERS

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

88° 37' 30" 350000m.E. R. 6 E. R. 7 E. 351 352 TUPALO 30 MI. NEW WREN 7 MI. 353 35' 354

