

Now Vista Polymers

Gw00715

✓ JG

FORM 9-1642 (1-68) CODED

Well No. L24

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by B.D. Source of data Receipts Date 2-71 Map

State 52 County Monroe 29

Latitude: 33 48 44 N Longitude: 08 8 33 W

Local well number: L024DC3414507E

Local use: 0:0:9 0:6:4

Owner or name: Vista Polymers

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z)

Use of well: (A) (D) (C) (H) (O) (P) (R) (T) (U) (V) (X) (S)

DATA AVAILABLE: Well data Freq. W/L meas. Field aquifer char.

Hyd. lab. data: Qual. water data; type:

Freq. sampling: Pumpage inventory: Aperture cards:

Log data:

WELL-DESCRIPTION CARD

Depth well: 198' Meas. rept 195'

Depth cased: 135' Casing type: 16x10 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole

Method: air bored, cable, dug, rot., hyd jetted, air percussion, reverse trenching, driven, drive wash, other

Date Drilled: 9:6:3 Pump intake setting:

Driller: name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P.

Descrip. MP 220 ft below LSD. Alt. MP

Alt. LSD: 227' Accuracy: 7'

Water Level: 117.23' above below MP; Ft below LSD 177' Accuracy: 7'

Date meas: 4:6:3 Yield: 180 gpm

Drawdown: Accuracy: Pumping period: hrs

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard. Sp. Conduct K x 10 Temp. Date sampled


Taste, color, etc.

10-21-91 Yield 130.0 Cut 40.34 MP 2.55 wf 87.11

Well No.

L-24

Well No.



Pumping test 10/13/64
 at 180 Spm
 W.L. 93' at 3.00
 wells pumping

HYDROGEOLOGIC CARD

Physiographic Province: **0.3** Section: **0.3**
 Same as on Master Card: **D** Basin: **3.7** Subbasin:

Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley flat: (A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

MAJOR AQUIFER: **K3** system **2** aquifer, formation, group **E2**
 MINOR AQUIFER: **U5** system **2** aquifer, formation, group **E2**
 Lithology: **U5** Origin: **2** Thickness:

Length of well open to: **6.0** Depth to top of: **2**
 Length of well open to: **9.0** Depth to top of: **2**
 Lithology: **9.0** Origin: **2** Thickness:

Depth to consolidated rock: **110** ft. Source of data: **110**
 Depth to basement: **110** ft. Source of data: **110**
 Surface material: **110** Infiltration characteristics: **110**
 Coefficient of storage: **110** Coefficient of permeability: **110**
 Perm: **110** Spec cap: **110** Rpd/ft: **110** Number of geologic cards: **110**

Latitude-Longitude **24** **24**

Well No. **L24**

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources

COUNTY WELL LOCATED Monroe		PERMIT NUMBER MS-GW-00715							
WELL NUMBER 4	CODED	NAME OF DRILLING FIRM J.W. Webb & Sons, Inc.							
L24		P.O. Box 88 Belden, MS.							
DATE WELL PLUGGED Jan. 1994		P. O. Box 10831 Jackson, Mississippi 39209 WATER WELL PLUGGING DECOMMISSIONING							
NAME & MAILING ADDRESS OF LANDOWNER Vista Chemical Co. P.O. Box 91 Aberdeen, MS. 39730		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL Carlross Well Supply Memphis, TN.							
WELL LOCATION SEC 33 TOWNSHIP 145 RANGE 7E		NAME OF LANDOWNER WHEN WELL WAS DRILLED Monroe Mfg. Co.							
DISTANCE 1/2 mile DIRECTION South NEAREST TOWN Aberdeen		WELL DATA <table border="1"> <tr> <td>Well Depth 198'-8"</td> <td>Casing Diameter (In.) 16"</td> <td>Casing Length (Ft.) 93'</td> </tr> <tr> <td>Type of Casing Steel</td> <td>Hole Depth 198'-8"</td> <td>Depth to Static Water Level 70'</td> </tr> </table>		Well Depth 198'-8"	Casing Diameter (In.) 16"	Casing Length (Ft.) 93'	Type of Casing Steel	Hole Depth 198'-8"	Depth to Static Water Level 70'
Well Depth 198'-8"	Casing Diameter (In.) 16"			Casing Length (Ft.) 93'					
Type of Casing Steel	Hole Depth 198'-8"	Depth to Static Water Level 70'							
OTHER LANDMARK		DATE WELL COMPLETED April 1963							
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Industrial									

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.
MATERIAL USED IN PLUGGING, ETC.)

Screen and casin were not removed from hole. Casin was cemented in place. Turbine pumps were removed from well and cement grout was pumped from bottom of well out the top. Cementing pipe were removed from well and casin cut off 15" under ground.

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Johnny B. Webb
SIGNATURE

Jan. 1994
DATE

RECEIVED

MAR 23 1995

Dept. of Environmental Quality
Office of Land & Water Resources