

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Date 4/9/64, 19\_\_\_\_ Field No. \_\_\_\_\_  
Record by D E Wasson Office No. 1-26  
Source of data \_\_\_\_\_

1. Location: State \_\_\_\_\_ County Maricopa

Map NW 1/4 SW 1/4 sec. 26 T 14 N R 7 E W

2. Owner: Bradley, Sh. Co. Address Shardden

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller \_\_\_\_\_ Address \_\_\_\_\_

3. Topography Rolling

4. Elevation 202 ft. above Ben below \_\_\_\_\_

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 19\_\_\_\_

6. Depth: Rept. \_\_\_\_\_ ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 3 in, to \_\_\_\_\_ in., Type \_\_\_\_\_

Depth \_\_\_\_\_ ft., Finish \_\_\_\_\_

8. Chief Aquifer Gorda From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level T ft. rept \_\_\_\_\_ 19\_\_\_\_ above \_\_\_\_\_ below \_\_\_\_\_

\_\_\_\_\_ which is \_\_\_\_\_ ft. above \_\_\_\_\_ below surface

10. Pump: Type none Capacity \_\_\_\_\_ G. M.

Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_

11. Yield: Flow 15 G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est.

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. \_\_\_\_\_

Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_ Temp 65 °F.

Taste, odor, color \_\_\_\_\_ Sample Yes \_\_\_\_\_ No part 4/9/64

Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) 3 c 75


STANDARD FORM NO. 64  
UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
OFFICE OF LAND ACQUISITION  
WASHINGTON, D. C. 20250  
NAME: *Citywell*  
ADDRESS:  
CITY:  
STATE:  
ZIP:

*Flowersville*  
REGION: *Flowersville*  
OFFICE:


DATE: \_\_\_\_\_  
TIME: \_\_\_\_\_  
BY: \_\_\_\_\_  
FOR: \_\_\_\_\_

OFFICE NO. *7-58*

UNIT SCHEDULE  
NATIONAL RECONSTRUCTION DIVISION  
DEPARTMENT OF THE INTERIOR  
WASHINGTON, D. C.

