

Aberdeen

FORM 9-1642 (1-68)

Well No. L 48

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data Bowc Date 3-72 Map MAR 11 1973

State 28 County (or town) Winnese 48

Latitude: 33 52 00 N Longitude: 08 83 31 2 Sequential number: 1

Lat-long accuracy: 1 14 7 0 W. Sec. 15 NE, NW, NE, NW

Local well number: L048AB1514S07E Other number: B & M

Local use: 071 Owner or name: FELIX TUBB Address: Aberdeen

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) 7

Use of well: (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no, period:

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 155 ft Meas. 3

Depth cased: (first perf.) 22 ft Casing type: 4 Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open (I) screen, (J) gallery, (K) end, (L) perf., (M) screen, (N) sd. pt., (O) shored, (P) open hole, (Q) other X

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air percussion, (G) reverse rot., (H) air rot., (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 9-6-0 Pump intake setting: 30 ft

Driller: Reeves name address

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, (I) submerg, (J) turb, (K) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P.  Trans. or meter no.

Descrip. MP 41 ft above below LSD, Alt. MP 47

Alt. LSD: 240 Accuracy: 4

Water Level: 60 ft above below MP; Ft below LSD 60 Accuracy: D

Date meas: D-6-0 Yield: 30 gpm Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period 64 hrs 65

QUALITY OF WATER DATA: Iron 66 ppm Sulfate 67 ppm Chloride 68 ppm Hard. 69 ppm

Sp. Conduct 70 K x 10 71 Temp. 72 °F Date sampled 73 74 75 76 77 78 79

Taste, color, etc. 80

Well No.

148

Latitude-longitude \_\_\_\_\_

HYDROGEOLOGIC CARD

State-Section (40-7)

Province: 03 Section: \_\_\_\_\_

Drainage Basin: 134 Subbasin: \_\_\_\_\_

Topo of well site: ETC (D) (C) (E) (F) (H) (K) (L) (0) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: K3 system series EZ aquifer, formation, group

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: 80 ft Depth to top of: 75 ft

MINOR AQUIFER: \_\_\_\_\_ system series \_\_\_\_\_ aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

LAB

MONROE MISSISSIPPI BOARD OF WATER COMMISSIONERS

L48

12-27-60

WATER WELL DRILLERS LOG

**CODED**<sup>2</sup>

Date: 12-27, 1960, Driller: W. J. REEVES SOX County MONROE  
 277-2 (Name)

	Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land: <u>FELIX TUBB</u> (Name)	<u>RED SAND</u>	<u>17</u>	<u>0</u>
<u>ABERDEEN, MISS</u> COONTRAIL RD. 3692310 (Address)	<u>BLUE CLAY</u>	<u>58</u>	<u>17</u>
(2) Location: <u>NE 1/4, NW 1/4, Sec. 15 T. 4 R. 7</u>	<u>BLUE SAND - CLAY SPARS</u>	<u>50</u>	<u>75</u>
<u>5</u> miles <u>N</u> , of <u>ABERDEEN</u> (distance) (direction) (Nearest Town)			
(3) Topography: <u>HILLY</u> (Hilly) (Flat) (Level)			
(4) Purpose of Well: <u>DOMESTIC</u> (Domestic Irrigation Municipal, Industrial, Other)			

Information upon completion of well:


- (1) Diameter 4 inches.
- (2) Total Depth 155 feet.
- (3) Water Level 60 feet below top of ground.
- (4) Cased to 22, Size 4
- (5) Screen: Size \_\_\_\_\_, Length \_\_\_\_\_
- (6) Were any formations sealed against pollution?  
 yes,  no.

If YES depth of formation \_\_\_\_\_

Why \_\_\_\_\_

Drillers Remarks: \_\_\_\_\_

**CODED**



Well No.

(Use Back Side)

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss

