

102B

P4A

FORM 9-1642 (1-68)

Well No. 168

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

NOV 21 1972

MASTER CARD

WL Data  
11/15/82  
WL=7.72

Record by Bey Job Source of data Wells logs Date 8/7/72 Map Abandon

State 28 County (or town) 48

Latitude: 33 5 1 1 8 N Longitude: 0 8 8 3 2 3 2 Sequential number: 2

Lat-long accuracy: 2 T. S. R. W. Sec. t. t. t. B & M

Local well number: 4 0 6 8 8 3 2 3 2 Other number: \_\_\_\_\_

Local use: 0 8 5 Owner or name: \_\_\_\_\_

Owner or name: U S C E N 1 0 2 B Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. F

Use of water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) U

Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) Q

DATA AVAILABLE: Well data  Freq. W/L meas.: M Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory: no. period:

Aperture cards:

Log data: D E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 30 Meas. 1

Depth cased: (first perf.) 25 ft Casing type: \_\_\_\_\_; Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot, (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 8/7/72 9 7 2 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_ name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; (H) P.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 191 Accuracy: 3

Water Level: 7.83 ft above MP, 5 ft below LSD Accuracy: A

Date meas.: 072 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

?

Well No.

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD **Physiographic Province:** 03 **Section:** \_\_\_\_\_

Stein's VGN

**Drainage Basin:** D 131L **Subbasin:** \_\_\_\_\_

**Topo of well site:** (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (M) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat V

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series P \_\_\_\_\_ aquifer, formation, group PA

**Lithology:** \_\_\_\_\_ **Origin:** 2 **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** \_\_\_\_\_

**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_


**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft **Coefficient Storage:** \_\_\_\_\_

**Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ gpm/ft; **Number of geologic cards:** \_\_\_\_\_

*see sketch on 102A*

*This well was supposed to be made at 20-25' in sand instead of deeper in the clay.*



Well No. \_\_\_\_\_

70  
L-68

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING


COUNTY WELL LOCATED MONROE	
WELL NUMBER 102B	CODED
DATE WELL PLUGGED 12-3-90	

PERMIT NUMBER
NAME OF DRILLING FIRM

NAME & MAILING ADDRESS OF LANDOWNER U.S. ARMY CORPS OF ENG - DIST. MOBILE P.O. BOX 2288 MOBILE AL 36628			
WELL LOCATION	SEC	TOWNSHIP	RANGE
NWNWS23T14SR07E			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE. Home, Irrigation, Municipal, Industrial, Fish Pond, etc GROUND WATER STUDY			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth 30'	Casing Diameter (in) 4"	Casing Length (ft.)
Type of Casing PVC	Hole Depth	Depth to Static Water Level 6.5' TOP OF PIPE
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER
PUMPED 2.4 C.F. GROUT MIX IN WELL - WELL SCREEN AND
PIPE LEFT IN HOLE - CUT RISER PIPE FLUSH WITH GROUND -
PULLED GUARD POST FROM SITE - AND 6" STEEL PROTECTOR PIPE

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
 SIGNATURE	12-3-90 DATE