

FORM 9-1642 (1-68)

Well No. P2

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

**WELL SCHEDULE**  
GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

MAR 11 1973

Record by Shaw Source of data Tenant Date 8-29-56 Map \_\_\_\_\_

State 28 County Monroe (or town) 48

Latitude: 33 47 58 N Longitude: 0 8 30 34 Sequential number: 7

Lat-long accuracy: 3 15 7 15 SE NE SE

Local well number: P002AD0115507E Other number: \_\_\_\_\_ B & H \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: J. T. MAULDING Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 450 ft Meas. rept accuracy 6

Depth cased: \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perfor.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other R

Date Drilled: 9-2-6 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Nash name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other Z Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 190 Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 73 Accuracy: \_\_\_\_\_

Date meas: 5-6 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. 65 °F Date sampled \_\_\_\_\_

Taste, color, etc. Fe

Well No.

P2

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**MAJOR** CARD  
MAJOR MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

132

Subbasin: \_\_\_\_\_

26

**MAJOR** CARD

Top of depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR

AQUIFER: \_\_\_\_\_

system

series

K3

aquifer, formation, group

Gφ

Lithology: \_\_\_\_\_

UR

Origin: \_\_\_\_\_

2

Aquifer

Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

MINOR

AQUIFER: \_\_\_\_\_

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals

Screened: \_\_\_\_\_

Depth to

consolidated rock: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Depth to

basement: \_\_\_\_\_

ft

Source of data: \_\_\_\_\_

Surficial

material: \_\_\_\_\_

Infiltration

characteristics: \_\_\_\_\_

Coefficient

Trans: \_\_\_\_\_

gpd/ft

Coefficient


Storage: \_\_\_\_\_

Coefficient

Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

P2

Aberdeen

FORM 9-1642 (1-68)

Well No. P2

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

MAR 11 1973

Record by Shaw Source of data Tenant Date 8-29-56 Map \_\_\_\_\_

State 28 County Monroe (or town) 48

Latitude: 33 47 58 N Longitude: 0 88 30 34 Sequential number: 7

Lat-long accuracy: 3 15 7 2 1 5 NE NE SE

Local well number: P002AD0115507E Other number: \_\_\_\_\_ B & H \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: J. T. MAULDING Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 45.0 Meas. rept 6

Depth cased: \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. in 4

Finish: porous, concrete, (perf.), (screen), gallery, end, (C) porous, (F) gravel w. (G) gravel w. (H) horiz. open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other X

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other R

Date Drilled: 9-2-6 Pump intake setting: \_\_\_\_\_ ft 30 38

Driller: Nash name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other Z Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 19.0 Accuracy: \_\_\_\_\_ (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 7.3 Accuracy: \_\_\_\_\_

Date meas: 5.6 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 6.5 X 10<sup>6</sup> Temp. 65.0 F Date sampled \_\_\_\_\_

Taste, color, etc. Fa

Well No.

P2

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N S

**INDEXED** CARD

INDEXED ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

132

Subbasin: \_\_\_\_\_

26

6591 U.S.G.A.M.

Code of depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: \_\_\_\_\_

(O) (P) (S) (T) (U) (V) \_\_\_\_\_

offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR

AQUIFER: \_\_\_\_\_

system \_\_\_\_\_

series \_\_\_\_\_

K3

aquifer, formation, group \_\_\_\_\_

GΦ

Lithology: \_\_\_\_\_

UR

Origin: \_\_\_\_\_

2

Aquifer

Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

MINOR

AQUIFER: \_\_\_\_\_

system \_\_\_\_\_

series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

Aquifer

Thickness: \_\_\_\_\_

ft

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

Intervals

Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration

characteristics: \_\_\_\_\_

Coefficient

Trans: \_\_\_\_\_

gpd/ft

Coefficient


Storage: \_\_\_\_\_

Coefficient

Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

P2