


9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE


Date 4/24/67, 19\_\_\_\_ Field No. \_\_\_\_\_  
Record by B E Wasson Office No. P26  
Source of data owner

1. Location: State \_\_\_\_\_ County Manuel  
Map NE 1/4 NE 1/4 sec. 29 T. 15. N R 7 E W
2. Owner: H.W. Dold Address \_\_\_\_\_  
Tenant \_\_\_\_\_ Address \_\_\_\_\_  
Driller Hendon Address \_\_\_\_\_
3. Topography \_\_\_\_\_
4. Elevation 250 ft. above Bay below \_\_\_\_\_
5. Type: Dug, drilled, driven, bored, jetted drilled 1967
6. Depth: Rept. 596 ft. Meas. \_\_\_\_\_ ft.
7. Casing: Diam. 4 1/2 in., to \_\_\_\_\_ in., Type \_\_\_\_\_  
Depth \_\_\_\_\_ ft., Finish galv
8. Chief Aquifer 200 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Others \_\_\_\_\_
9. Water level -100 ft. rept. \_\_\_\_\_ 1967 above \_\_\_\_\_ below \_\_\_\_\_  
\_\_\_\_\_ which is \_\_\_\_\_ ft. above \_\_\_\_\_ below surface
10. Pump: Type well Capacity \_\_\_\_\_ G. M.  
Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_
11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.
12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. 8 families  
Adequacy, permanence \_\_\_\_\_
13. Quality \_\_\_\_\_ Temp. \_\_\_\_\_ °F.  
Taste, odor, color iron Sample Yes \_\_\_\_\_ No \_\_\_\_\_  
Unfit for \_\_\_\_\_
14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_



AN

Birford




SALES REPRESENTATIVE DIVISION  
 FEDERAL BUREAU OF INVESTIGATION  
 DEPARTMENT OF JUSTICE  
 WASHINGTON, D. C. 20535

